Author Index to Volume 15

Adachi, K., Hattori, M., and Ishida, Y.: Effects of Diluent of Molecular Motion and Glass Transitions in Polymers. III. The System Poly(vinyl Acetate)–Toluene, 693

Agarwal, S. K. See Pillai, P. K. C.

Aharoni, S. M., Apgar, P. A., and Dunsmuir, J. H.: Phenoxy Crystal Structure, 2055

Akcasu, A. Z. and Higgins, J. S.: Quasielastic Scattering of Neutrons from Freely Jointed Polymer Chains in Dilute Solutions, 1745

Antoon, M. K. See Koenig, J. L.

Aoki, Y. and Brittain, J. O.: Thermally Stimulated Discharge Current Studies on the Effect of Thermal Treatment on the Strength of Polycarbonate, 199

Apgar, P. A. See Aharoni, S. M.

Arai, H., Hayakawa, N., Tamura, N., and Kuriyama, I.: Texture and Molecular Chain Mobility in Cold-Deformed Linear Polyethylene, 1697

Arenz, R. J. and Landel, R. F: A Note on Comparison of Gaussian Statistical and Mooney–Rivlin Theories of Rubber Elasticity, 193

Arridge, R. G. C., Barham, P. J., and Keller, A.: Self-Hardening of Highly Oriented Polyethylene, 389

—— See Barham, P. J.

Assink, R. A.: The Study of Domain Structure in Polyurethanes by Nuclear Magnetic Resonance, 59

——: The Concentration and Pressure Dependence of the Diffusion of Dichlorodifluoromethane in Poly(dimethyl Siloxane), 227

Atkins, E. D. T., Isaac, D., Keller, A., and Miyasaka, K.: Analysis of Anomalous X-Ray Diffraction Effects of Isotactic Polystyrene Gels and its Implications for Chain Conformation and Isomeric Homogeneity, 211

Atkinson, E. B.: The Solubility of Nitrogen in Polyethylene above the Crystalline Melting Point at High Pressure, 795

Baer, E. See Wellinghoff, S. T.

Baker, C., Maddams, W. F., and Preedy, J. E.: X-Ray Diffraction and Infrared Studies on Annealed Highly Syndiotactic Poly(vinyl Chloride), 1041

Balta-Calleja, F. J. See Rueda, D. R.

Ban, S. See Shima, M.

Barham, P. J. and Arridge, R. G.: A Fiber Composite Model of Highly Oriented Polyethylene, 1177

—— See Arridge, R. G. C.

Barker, Jr., R. E., Chen, R. Y. S., and Frost, R. S.: Influence of Pressure and Chemical Structure on the Thermal Conductivity of Vitreous Poly(alkyl Methacylates). I, 1199

Basin, V. E. See Grigorovskaya, V. A.

Bassett, D. C., Khalifa, B. A., and Olley, R. H.: Measurement of High Chain Extensions in Polyethylene by Gel Permeation Chromatography, 995

—— See Olley, R. H.

Benedetti, E. and Chiellini, E.: Conformational Study of Isotactic Poly[(S)-5-Methyl-1-Heptene] and Poly[(S)-2-Methylbutyl Vinyl Ether] by IR Spectroscopy, 1251

Beneoît, H. See Dondos, A.

Berghmans, H. and Overbergh, N.: Crystallization and Melting of the Systems Isotactic Polystyrene + Poly(2,6-dimethyl Phenylene Oxide), 1757

Berglund, C. A.: Birefringence and Stress Relaxation in Styrene–Butadiene Copolymer, 2037

Berlin, A. A. See Grigorovskaya, V. A.

Berry, G. C. See Goebel, K. D.

Biswas, A. M. See Krause, S.

Blackwell, J. See Puterman, M.

Bloch, R. See Chang, W. V.

Bloor, D. and Stevens, G. C.: Solid-State Thermal Polymerization of 2,4-Hexadiyne-1,6-Diol, 703

Bogue, D. C. See Matsumoto, T.

Bohdanecký, M. See Podešva, J.

—— See Vošický, V.

Boisserie, C. and Marchessault, R. H.: Light Scattering from Epoxy Elastomer Resins: A Study of Statistical Methods in Heterogeneity Analysis, 1211

Bonner, D. C. See Cheng, Y. L.

Boucher, E. A.: Kinetic Models for Scission and Depolymerization Reactions, 1117

—— and Mollett, C. C.: Kinetics and Mechanism of the Quaternization of Poly(4-vinyl Pyridine) with 1-Bromopropane, 283

Brereton, M. G., Davies, G. R., Rushworth, A., and Spence, J.: Evidence for Correlated Motion in the Dielectric Properties of Poly(vinylidene Fluoride), 583

Briscoe, B. J. See Klein, J.
Brittain, J. O. See Aoki, Y.

Candau, S. See Munch, J. P.
Capiati, N. J. and Porter, R. S.: Dimensional Changes in Ultradrawn Polyethylene, 1427
Carenza, M. See Palma, G.
Carlsson, D. J. See Garton, A.
Carr, S. H. See Stupp, S. I.
Chang, W. V., Bloch, R., and Tschoegl, N. W.: Study of the Viscoelastic Behavior of Uncrosslinked (Gum) Rubbers in Moderately Large Deformations, 923
Chatain, D. See Guillet, J.
Chatain, D. G. See Monpagens, J. C.
Chaubey, D. R. See Jain, P. C.
Chen, R. Y. S. See Barker, Jr., R. E.
Cheng, Y. L. and Bonner, D. C.: Solubility of Ethylene in Liquid, Low-Density Polyethylene at 69 Atmospheres, 593
Cherepanova, E. S. See Grigorovskaya, V. A.
Chiang, K. T. and Sefton, M. V.: Structure of Styrene–Butadiene–Styrene Block Copolymers by Diffusion Analysis, 1927
Chiba, A. See Iwasa, Y.
Chiellini, E. See Benedetti, E.
Choji, N. and Karasawa, M.: Diffusion Coefficients from Initial Sorption Data, 1309
Chu, S. G. and Munk, P.: A Study of Thermodynamic Behavior of Polystyrene Solutions in Benzene at Moderate Concentrations by Sedimentation Equilibrium, 1163
Chu, W. H. and Horne, D. E.: Automated Light-Scattering Apparatus for Studying Polymer Films, 303
Chua, J. O. See Lovinger, A. J.
Cohen. C.: Thermodynamic Fluctuations and Light Scattering from Monodisperse Polymer Solutions, 291
Coleman, M. M. See Painter, P. C.
Cook, W. D. and Delatycki, O.: Low-Temperature Relaxations in Styrene-Crosslinked Polyester Newworks. II. The γ'-Relaxation, 1953
—— and ——: Low-Temperature Relaxations in Styrene-Crosslinked Polyester Networks. III. Influence of Water Concentration and Chemical Structure on the γ-Relaxation, 1967
Cooper, S. L. See Hubbell, D. S.
Corbin, N. and Prud'homme, J.: Multiblock Copolymers of Styrene and Isoprene. II. Microstructure and Dilute Solution Properties, 1937
Cornes, P. L., Smith, K., and Haward, R. N.: Plastic Fracture, 955
Couchman, P. R. and Karasz, F. E.: Domain Size Dependence of Glass Transition Temperature, 1037
Crissman, J. M. and Zapas, L. J.: Mechanical Behavior of a Highly Oriented Polyethylene Rod, 1685
Cuculo, J. A. See Griswold, P. D.
Cuniberti, C. See Perico, A.
Czornyj, G. and Wunderlich, B.: Preparation and Study of Separated Single Crystals of Extended-Chain Polyethylene, 1905

Davies, G. R. See Brereton, M. G.
Delatycki, O. See Cook, W. D.
DePetris, S., Frosini, V., and Nicol, E. A.: The Dielectric β Relaxation of Polybenzoxazole: The Role of Water Molecules, 1121
Desper, C. R., Kolveck, A. G., and Uhlmann, D. R.: Pole-Figure Analysis of Solid-State Extruded Polyethylene, 1863
Dobb, M. G., Johnson, D. J., and Saville, B. P.: Supramolecular Structure of a High-Modulus Polyaromatic Fiber (Kevlar 49), 2201
Dole, M. See Patel, V. M.
Dondos, A. and Benoît, H.: Relation Between Preferential Solvation and Intrinsic Viscosity of Polymers in Solvent Mixtures, 137
Dosière, M. and Point, J. J.: Oriented Crystallization of Biphenyl in Low-Density Polyethylene with a Single Texture, 1655
Dragaun, H., Hubeny, H., and Muschik, H.: Shear-Induced β-Form Crystallization in Isotactic Polypropylene, 1779
Duckett, R. A., Goswami, B. C., Ward, I. M., and Zihlif, A. M.: Deformation Band Studies of Oriented Polyethylene and Polyethylene Terephthalate, 333
Duda, J. L. See Vrentas, J. S.
Dunbar, J. I. and Pethrick, R. A.: Adiabatic Compressibility of Solutions of Ethylene–Propylene Copolymers in Hydrocarbon Solvents, 279
——, North, A. M., Pethrick, R. A., and Steinhauer, D. B.: Acoustic Absorption and Dynamic Compressibility Studies of Dilute and Concentrated Solutions of Polystyrene in Toluene and Cyclohexane, 263
Dunsmuir, J. H. See Aharoni, S. M.

Ehrlich, P. See Holob, G. M.
Eisenstein, A. J. See McCullough, R. L.
Endo, R. See Nakamura, K.

Ferry, J. D. See Kramer, O.
Ford, G. W. See Hsu, S. L.
Freeman, D. H. and Killion, D.: Gel Partition/Permeation Chromatography Using *n*-Alkane Solutes, 2047
Frosini, V., Levita, G., Landis, J., and Woodward,

A. E.: Broad-Line NMR and Dynamic Mechanical Behavior of Some Aromatic Polyesters, 239
——, Magagnini, P. L., and Newman, B. A.: The Crystalline Character of Atactic Poly(*p*-Biphenyl acrylate and Poly(*p*-Cyclohexylphenyl acrylate) in their Dynamic Mechanical Response, 2239
—— See DePetris, S.
Frost, R. S. See Barker, Jr., R. E.
Fujita, H., Taki, N., Norisuye, T., and Sotobayashi, H.: First-Order Excluded-Volume Effect on the Instrinsic Viscosity of Nondraining Polymer Coils, 2255
Galeski, A., Milczarek, P., and Kryszewski, M.: Heat Conduction in a Two-Dimensional Spherulite, 1267
Garton, A., Carlsson, D. J., Sturgeon, P. A., and Wiles, D. M.: Plastic Deformation of Highly Drawn Polypropylene Monofilaments, 2013
Gautier, P. G. See Monpagens, J. C.
Gaymans, R. J. and Harkema, S.: Melting Behavior of Aliphatic and Aromatic Diamides, 587
Gény, F. and Monnerie, L.: Dynamics of Macromolecular Chains. V. Interpretation of the Dielectric Relaxation Data, 1
—— See Matsuo, K.
Girolamo, M. See Overbergh, N.
Glucklich, J. and Landel, R. F.: Strain Energy Function of Styrene Butadiene Rubber and the Effect of Temperature, 2185
Go, S. See Mandelkern, L.
Goebel, K. D. and Berry, G. C.: Properties of Cellulose Acetate in Solution. II. Light Scattering and Elasticity Measurements on Gels in Benzyl Alcohol, 555
Gokan, A. See Ito, M.
González, J. J. See Hemmer, P. C.
Goswami, B. C. See Duckett, R. A.
Graessley, W. W. See Park, W. S.
Griffiths, C. H., Okumura, K, and Van Laeken, A.: Influence of Chemical Modification (Bromination) on Structure and Charge Transport in Poly(*N*-Vinylcarbazole), 1629
Grigorovskaya, V. A., Basin. V. E., Khakimova, D. K., Lyubchenko, L. S., Cherepanova, E. S., and Berlin, A. A.: On the Interrelation between Microstructure and Physicochemical Properties of some Polyconjugate Systems, 2075
Griswold, P. D. and Cuculo, J. A.: Flow-Induced Crystallization of Poly(ethylene Terephthalate) Melts in a Capillary Die. Formation and Properties of the Crystalline Toroid, 1291
Gryte, C. C. See Lovinger, A. J.
Guillet, J., Seytre, G., Chatain, D., Lacabanne, C., and Monpagens, J. C.: TSC and Dielectric Study of Multiple Relaxations in Poly-L-Proline, 541
Gurol, H.: The Coherent Scattering Law for Dilute Polymer Solutions: "Two-Component" Description, 225

Hansen, D. R. See Hong, S. D.
Harkema, S. See Gaymans, R. J.
Harrison, I. R. See Painter, P. C.
Hart, W. W. See Painter, P. C.
Hasagawa, M. See Nakanishi, H.
Hashimoto, T., Todo, A., Murakami, Y., and Kawai, H.: Light Scattering from Crystalline Superstructure in Tubular-Extruded Polybutene-1 Films, 501
Hattori, M. See Adachi, K.
Havens, J. See Painter, P. C.
Haward, R. N. See Cornes, P. L.
—— See Trainor, A.
Hay, J. N. See Trainor, A.
Hayakawa, N. See Arai, H.
Hedaya, E. See Peters, E. N.
Hemmer, P. C. and González, J. J.: Homopolymers: A Theoretical Study of Neighbor-Group Effects in Repeated Periodate Oxidation of Polysaccharides. I, 321
Hidalgo, A. See Rueda, D. R.
Higgins, J. S. See Akcasu, A. Z.
Holliday, L.: On the Connectivity of Modified Glass Networks, 675
Holob, G. M. and Ehrlich, P.: Electrical Conductivity of Crystallizable Polyphenylacetylene, 627
Hong, S. D., Hansen, D. R., Williams, M. C., and Shen, M.: Viscoelastic Properties of Entangled Polymers. II. The Interchain–Intrachain Entanglement Model, 1869
Horii, F. See Kitamaru, R.
Horne, D. E. See Chu, W. H.
Hoshino, S. See Inoue, K.
Hsieh, H. W. S., Post, B., and Morawetz, H.: A Crystallographic Study of Polymers Exhibiting Side-Chain Crystallization (*Erratum*), 197
Hsu, S. L., Ford, G. W., and Krimm, S.: Longitudinal Acoustic Mode in Polymers. II. Solution of the General Composite Perturbed Elastic Rod, 1769
Hubbell, D. S. and Cooper, S. L.: Segmental Orientation in Blends of Poly(ε-Caprolactone) with Poly(vinyl Chloride) and Nitrocellulose, 1143
Hubeny, H. See Dragaun, H.
Hyon, S.-H. See Kitamaru, R.

Ieda, M. See Morita, S.
—— See Takai, Y.

Inoue, K. and Hoshino, S.: Effect of Molecular Orientation on the Swelling of Nylon 6, 1363
Isaac, D. See Atkins, E. D. T.
Ishida, Y. See Adachi, K.
Ishikawa, K. See Sumita, M.
Ishikawa, M., Narisawa, I., and Ogawa, H.: Criterion for Craze Nucleation in Polycarbonate, 1791
—— See Narisawa, I.
Ishikawa, T. and Nagai, S.: Formation of Nylon 12 by Solution Casting, 1315
Ito, M., Nakatani, S., Gokan, A., and Tanaka, K.: Dielectric Relaxations in Linear Aliphatic Polyesters, 605
Iwasa, Y. and Chiba, A.: Dielectric Study on Copolymers in Dilute Solution. Relaxation Behavior of Methyl Methacrylate–Styrene and Methyl Methacrylate–Methylstyrene Copolymers, 881

Jain, P. C., Wunderlich, B., and Chaubey, D. R.: Effect of Pressure on the Melting of Poly(4-methyl-1-pentene), 2271
Jansson, J-F. and Yannas, I. V.: Infrared Dichroism of Glassy Polycarbonate at Small Strains, 2103
Joesten, B. L. See Peters, E. N.
Johnson, D. J. See Dobb, M. G.
Jones, A. A.: Phenyl Group Rotation in Polystyrene and the Nature of Twofold Anisotropic Internal Rotation, 863
—— and Stockmayer, W. H.: Models for Spin Relaxation in Dilute Solutions of Randomly Coiled Polymers, 847
—— See Matsuo, K.

Kajiyama, T., Yoshinaga, T., and Takayanagi, M.: The Effect of Thermal Stress on the Thermal Expansion Coefficient and Glass Transition Temperature of Glass Fiber–Polymer Composites, 1557
Kakudo, M. See Magoshi, J.
Kanetsuna, H. See Kyotani, H.
Karasawa, M. See Choji, N.
Karasz, F. E. See Couchman, P. R.
Kasai, N. See Magoshi, J.
Kawaguchi, T. See Todoki, M.
Kawai, H. See Hashimoto, T.
Kawakami, J. H. See Peters, E. N.
Keller, A. See Arridge, R. G. C.
—— See Atkins, E. D. T.
—— See Overbergh, N.
Khakimova, D. K. See Grigorovskaya, V. A.
Khalifa, B. A. See Bassett, D. C.
Khono, T. See Matsumoto, A.
Killion, D. See Freeman, D. H.
King, J. S. See Ullman, R.
Kitagawa, M.: Power Law Relationship between Yield Stress and Sheer Modulus for Glassy Polymers, 1601
Kitamaru, R., Horii, F., and Hyon, S.-H.: Proton Magnetic Resonance Studies of the Phase Structure of Bulk-Crystallized Linear Polyethylene, 821
Kitano, T. See Noda, I.
Klein, J.: Diffusion of Long Molecules through Solid Polyethylene. I. Topological Constraints, 2057
—— and Briscoe, B. J.: Diffusion of Long Molecules through Solid Polyethylene. II. Measurements and Results, 2065
Klimová, M. See Szöcs, F.
Koenhen, D. M. and Smolders, C. A.: Phase-Separation Phenomena in Solutions of Poly(2,6-dimethyl-1,4-phenylene Oxide). I. Thermodynamic Parameters of Solutions in Toluene, 155
—— and ——: Phase-Separation Phenomena in Solutions of Poly(2,6-dimethyl-1,4-phenylene Oxide). II. Differential Scanning Calorimetry of Solutions in Toluene, 167
Koenig, J. L. and Antoon, M. K.: Thermally Induced Conformational Changes in Poly(vinyl Chloride), 1379
—— See Painter, P. C.
—— See Wellinghoff, S. T.
Kolbeck, A. G. and Uhlmann, D. R.: Processing of Semicrystalline Polymers by High-Stress Extrusion, 27
Kolpak, F. J. See Puterman, M.
Kolveck, A. G. See Desper, C. R.
Kozyrenko, V. N., Kumpanenko, I. V., and Mikhailov, I. D.: Green's Function Analysis of the Vibrational Spectra of Polymer Chains. I. Several Approaches to the Problem, 1721
——, ——, and ——: Green's Function Analysis of the Vibrational Spectra of Polymer Chains. II. Fourier Method for Calculating the Green's Function of a Perfect Infinite Polymer Chain, 1739
Kramer, O. and Ferry, J. D.: Entanglement Networks of 1,2-Polybutadiene Crosslinked in States of Equibiaxial Extension, 761
Kratochvíl, P. See Podešva, J.
Kraus, G. and Rollmann, K. W.: Viscoelastic Behavior of a Butadiene–Styrene Block Copolymer Containing Free Polybutadiene Molecules, 385
Krause, S. and Biswas, A. M.: Microphase Separation in Mixtures of Styrene–α-Methyl Styrene Block Copolymers with Polystyrene or with Poly(α-methyl Styrene), 2033
Krimm, S. See Hsu, S. L.
Kryszewski, M. See Galeski, A.
Kuhlmann, K. F. See Matsuo, K.

Kumpanenko, I. V. See Kozyrenko, V. N.
Kuriyama, I. See Arai, H.
—— See Mitomo, H.
—— See Yoda, O.
Kwiatkowski, G. T. See Peters, E. N.
Kyotani, H., Kanetsuna, H., and Oya, M.: Conformational Transitions of Poly(β-benzyl L-Aspartate), 1029

Lacabanne, C. See Guillet, J.
—— See Monpagens, J. C.
Landel, R. F. See Arenz, R. J.
—— See Glucklich, J.
Landis, J. See Frosini, V.
Lando, J. B. See Puterman, M.
Lang, M. C., Noël, C., and Legrand, A. P.: Solid-State Relaxations in Poly(ethylene Oxide). I. Study Using the Differential Scanning Calorimetry Methods, 1319
——, ——, and ——: Solid-State Relaxation in Poly(ethylene Oxide). II. Study Using the Spin-Labeling Technique, 1329
Lauprêtre, F., Noël, C., and Monnerie, L.: Dynamics of macromolecular Chains. VI. Carbon 13 and Proton Nuclear Magnetic Relaxation of Polystyrene in Solution, 2127
——, ——, and ——: Dynamics of Macromolecular Chains. VII. Nuclear Magnetic Relaxation of Monosubstituted Polystyrenes in Solution, 2143
Lee, B. L. and Nielsen, L. E.: Temperature Dependence of the Dynamic Mechanical Properties of Filled Polymers, 683
Lee, C. J. and Wunderlich, B.: Crystallization During Polymerization of Diphenylsilylene by a Chemical Transport Reaction, 355
Legrand, A. P. See Lang, M. C.
Legras, R. and Mercier, J. P.: Crystallization of Bisphenol-A Polycarbonate. II. Melting Behavior and Equilibrium Melting Temperature of the Plasticized Polymer, 1283
Lenz, R. W. See Weiss, R. A.
Leute, U.: On the Electrical Polarization of Polymer Single Crystals in Suspension, 715
Levelut, A. M. See Moudden, A.
Lévesque, D. and Prud'homme, R. E.: Small-Angle Light Scattering from Thin Polymer Films: Multiple Scattering from Samples with Rodlike Morphology, 1613
Levita, G. See Frosini, V.
Liu, D. D. and Prausnitz, J. M.: Solubilities of Volatile Solutes in Poly(vinyl Acetate) from 125 to 200°C, 145
Lovinger, A. J., Chua, J. O., and Gryte, C. C.: Studies on the α and β Forms of Isotactic Polypropylene by Crystallization in a Temperature Gradient, 641
Lundh, S.: A New Approach to Analytical Density Gradient Equilibrium Centrifugation. Simultaneous Determination of Molecular Weight, Specific Volume, and Preferential Hydration of Human Transferrin, 733
Lyubchenko, L. S. See Grigorovskaya, V. A.

MacInnes, D. A.: Internal Viscosity in the Dynamics of Polymer Molecules, 465
——: Internal Viscosity in the Dynamics of Polymer Molecules. II. A New Model for the Lamb–Matheson–Philippoff Increment, 657
MacKnight W. J. See Warner, F. P.
—— See Weiss, R. A.
Maddams, W. F. See Baker, G.
Magagnini, P. L. See Frosini, V.
Magoshi, J., Mogoshi, Y., Nakamura, S., Kasai, N., and Kakudo, M.: Physical Properties and Stucture of Silk. V. Thermal Behavior of Silk Fibroin in the Random-Coil Conformation, 1675
Malone, M. F. See Tirrell, M.
Mandelkern, L., Go, S., Peiffer, D., and Stein, R. S.: Light Scattering Studies of Mixtures and Fractions of Linear Polyethylene, 1189
Manley, R. St. John. See Wittmann, J. C.
Marchessault, R. H. See Boisserie, C.
Mark, J. E. and Yu, C. U.: Some Elastic and Thermoelastic Properties of Two Organophosphazene Polymers, 371
Matsumoto, A., Yokoyama, S., Khono, T., and Oiwa, M.: Studies of the Polymerization of Diallyl Compounds. XXV. Gel Point in the Polymerization of Diallyl Esters of Aromatic Dicarboxylic Acids, 127
Matsumoto, T. and Bogue, D. C.: Stress Birefringence in Amorphous Polymers under Nonisothermal Conditions, 1663
Matsuo, K., Kuhlmann, K. F., Yang, H. W.-H., Gény, F., Stockmayer, W. H., and Jones, A. A.: Fluorine Magnetic Relaxation in Poly(*p*-Fluorostyrene) and Poly(*m*-Fluorostyrene), 1347
McCullough, R. L.: Deformation Mechanisms of Constrained Polymer Chains. I. Geometrically Induced Correlations in the Deformation Response Mechanisms of Tie Molecules, 1805
——, Eisenstein, A. J., and Weikart, D. F.: Deformation Mechanisms of Constrained Polymer Chains. II. Deformation Energetics of Tie Molecules, 1837
McNeil, D. W. See Peters, E. N.
Mercier, J. P. See Legras, R.
Mesnard, G. See Moretti, P.
Mikhailov, I. D. See Kozyrenko, V. N.

Milczarek, P. See Galeski, A.
Mitomo, H., Nakazato, K., and Kuriyama, I.: Stepwise Lamellar Thickening of Nylon 66 Crystal by Annealing in Glycerol, 915
Mitzutani, T. See Takai, Y.
Miyasaka, K. See Atkins, E. D. T.
—— See Sumita, M.
Mogoshi, Y. See Magoshi, J.
Mollett, C. C. See Boucher, E. A.
Moneva, I. T.: Concerning the Birefringence Effect on Polarized Light Scattering from Polymer Films Obtained from the Melt. Phase Limitation, 1501
Monnerie, L. See Gény, F.
—— See Lauprêtre, F.
Monpagens, J. C., Chatain, D. G., Lacabanne, C., and Gautier, P. G.: A New Method for the Study of Molecular Motion in Polymeric Solids: Thermally Stimulated Creep, 767
—— See Guillet, J.
Morawetz, H. See Hsieh, H. W. S.
Moretti, P. and Mesnard, G.: Electron Microscopic Study of Dendritic Growths on the Anode During Prebreakdown Conditions in an Organic Residual Gas, 1989
Morita, S., Shen, M., and Ieda, M.: *In Vacuo* Photocurrent Measurements of Plasma Polymerized Styrene Films, 981
Moudden, A., Levelut, A. M., and Pineri, M.: Étude par Rayons X de Copolymères Téléchéliques Butadiène Acide Méthacrylique, 1707
Munch, J. P. and Candau, S.: Photon Correlation Spectroscopy of Crosslinked Polystyrene Networks in the Swollen State: Influence of Macromolecular Polydispersity, 11
Munk, P. See Chu, S. G.
Murakami, Y. See Hashimoto, T.
Murthy, M. Rama Krishna. See Radhakrishna, S.
Muschik, H. See Dragaun, H.

Nadkarni, V. M. and Schultz, J. M.: Extensional Flow-Induced Crystallization in Polyethylene Melt Spinning, 2151
Nagai, S. See Ishikawa, T.
Nagasawa, M. See Noda, I.
Nair, P. K. See Pillai, P. K. C.
Nakamura, K., Endo, R., and Takeda, M.: Interaction between Styrene–Ethylene Oxide Block Copolymers and Sodium Lauryl Sulfate in Aqueous Solution, 2087
——, ——, and ——: Study of Molecular Motion of Block Copolymers in Solution by High-Resolution Proton Magentic Resonance, 2095
Nakamura, S. See Magoshi, J.
Nakanishi, H., Hasegawa, M., and Sasada, Y.: Four-Center Photopolymerization in the Crystalline State. VIII. X-Ray Crystallographic Study of the Polymerization of Some Diolefinic Compounds, 173
Nakatani, S. See Ito, M.
Nakazato, K. See Mitomo, H.
Narisawa, I., Ishikawa, M., and Ogawa, H.: The Fatigue Process in Highly Oriented Nylon 6 Fibers, 1055
——, ——, and ——: Yielding of a Notched Poly(vinyl Chloride) Sheet, 2227
—— See Ishikawa, M.
Neilson, R. D. M., Soutar, I., and Steedman, W.: Aspects of Plastic Scintillators. II. Energy Transfer Studies in Polymerizing Media, 617
Newman, B. A. See Frosini, V.
Ni, Y. C. See Vrentas, J. S.
Nicol, E. A. See DePetris, S.
Nielsen, L. E. See Lee, B.-L.
Nitta, K. See Okuda, T.
Noda, I., Kitano, T., and Nagasawa, M.: The Effect of Molecular Weight Heterogeneity on the Second Virial Coefficient of Linear Polymers in Good Solvents, 1129
Noël, C. See Lang, M. C.
—— See Lauprêtre, F.
Norisuye, T. See Fujita, H.
North, A. M. See Dunbar, J. I.

Ogawa, H. See Narisawa, I.
Ohno, N. See Okuda, T.
Oiwa, M. See Matsumoto, A.
Okamura, K. See Tanaka, F.
Okuda, T., Ohno, N., Nitta, K., and Sugai, A.: Conformational Transition of the Copolymer of Maleic Acid and Styrene in Aqueous Solution. II, 749
Odijk, T.: Polyelectrolytes near the Rod Limit, 477
Ogawa, E. See Shima, M.
Ogawa, H. See Ishikawa, M.
—— See Narisawa, I.
Okumura, K. See Griffiths, C. H.
Olley, R. H. and Bassett, D. C.: Molecular Conformations in Polyethylene after Recrystallization or Annealing at High Pressures, 1011
—— See Bassett, D. C.
Osawa, T. See Takai, Y.
Overbergh, N., Girolamo, M., and Keller, A.: Solution Grown Isotactic Polystyrene Crystals. I. Degree and Distribution of Crystallinity; Thermal Stability, 1475
——, Sadler, D. M., and Keller, A.: Solution Grown Isotactic Polystyrene Crystals. II. Kinetics of Thermal Changes by X-Ray Diffraction, 1485
—— See Berghmans, H.

Owens, D. A. See Peters, E. N.
Oya, M. See Kyotani, H.

Painter, P. C., Havens, J., Hart, W. W., and Koenig, J. L.: A Fourier Transform Infrared Spectroscopic Investigation of Polyethylene Single Crystals. I. Methylene Wagging Mode, 1223
——, ——, ——, and ——: A Fourier Transform Infrared Spectroscopic Investigation of Polyethylene Single Crystals. II. Fine Structure of The CH_2 Rocking Mode, 1237
——, Runt, J., Coleman, M. M., and Harrison, I. R.: Fourier-Transform Infrared Study of Polyethylene Single Crystals in Suspension, 1647
—— and Koenig, J. L.: A Normal Vibrational Analysis of Isotactic Polystyrene, 1885
Palma, G., Talamini, G., Tavan, M., and Carenza, M.: Particle Morphology in the Early Stages of Radiation-Induced Heterophase Polymerization of Vinyl Chloride, 1537
Park, W. S. and Graessley, W. W.: On-Line Viscometry Combined with Gel Permeation Chromatography. I. Instrumental Calibration and Testing with Linear Polymers, 71
—— and ——: On-Line Viscometry Combined with Gel Permeation Chromatography. II. Application to Branched Polymers, 85
Patel, V. M. and Dole, M.: Hydrogen Catalysis of Alkyl Radical Decay in Single Crystalline Polyethylene, 907
Patterson, G. D.: Brillouin Scattering and Hypersonic Relaxation in Amorphous Polymers, 455
——: Chain Length Dependence of Hypersonic Relaxation in Amorphous Polymers, 579
Peiffer, D. See Mandelkern, L.
Pennings, A. J. See Smith, P.
Perico, A. and Cuniberti, C.: Dynamics of Chain Molecules. Intramolecular Diffusion Controlled Reactions for a Pair of Terminal Reactive Groups, 1435
Peters, E. N., Kawakami, J. H., Kwiatkowski, G. T., Hedaya, E., Joesten, B. L., McNeil, D. W., and Owens, D. A.: D_2-*m*-Carborane Siloxanes. V. Structure–Property Relationships, 723
Pethrick, R. A. See Dunbar, J. I.
Pico, E. R. and Williams, M. C.: Thermodynamics of Plasticized Triblock Copolymers. I. Theory, 1585
Pillai, P. K. C., Agarwal, S. K., and Nair, P. K.: Photoelectret State in Poly(vinylcarbazole), 379
Pineri, M. See Moudden, A.
Podešva, J., Bohdanecký, M., Kratochvíl, P., and Samay, G.: Unperturbed Dimensions of Random and Alternating Styrene/*n*-Alkyl Methacrylate Copolymers, 1521
Point, J. J. See Dosière, M.
Ponevsky, Ch. S. See Solunov, Ch. A.
Porter, R. S. See Capiati, N. J.
Post, B. See Hsieh, H. W. S.
Prausnitz, J. M. See Liu, D. D.
Preedy, J. E. See Baker, Ç.
Prud'homme, J. See Corbin, N.
Prud'homme, R. E.: Crystallization of Polydioxolan. II. Morphology and Melting Properties, 1619
—— See Lévesque, D.
Puterman, M., Kolpak, F. J., Blackwell, J., and Lando, J. B.: X-Ray Structure Determination of Isotactic Poly(2-Vinylpyridine), 805

Radhakrishna, S. and Murthy, M. Rama Krishna: Thermoluminescence of Irradiated Poly(methyl Methacrylate), 987
—— and ——: Thermoluminescence of Irradiated Polystyrene, 1261
Randall, J. C.: Monomer Distributions and Number-Average Sequence Lengths in Hydrogenated Butadiene–Styrene Copolymers from Carbon-13 Nuclear Magnetic Resonance, 1451
Riande, E.: Configurational Properties of Aromatic Polyesters: Dipole Moments of Poly(diethylene Terephthalate) Chains, 1397
Roebersen, G. J. See Vrij, A.
Rollmann, K. W. See Kraus, G.
Rueda, D. R., Balta-Celleja, F. J., and Hidalgo, A.: Correlation of Crystal Thickness and Absorption Coefficient of the Doublet at 720–730 cm^{-1} in Polyethylene, 2027
Runt, J. See Painter, P. C.
Rushworth, A. See Brereton, M. G.
Rutherford, H. and Soutar, I.: Phosphorescence Studies of Relaxation Effects in Bulk Polymers. I. Depolarization Measurements of Segmental Relaxation in Poly(methyl Acrylate), 2213

Sadler, D. M. See Overbergh, N.
Saiki, K. See Yano, O.
Samay, G. See Podešva, J.
Sasada, Y. See Nakanishi, H.
Sato, M. See Shima, M.
Saville, B. P. See Dobb, M. G.
Schultz, J. M. See Nadkarni, V. M.
Sefton, M. V. See Chiang, K. T.
Seytre, G. See Guillet, J.
Shen, M. See Hong, S. D.
—— See Morita, S.
Shepherd, I. W. See Thornley, P. W.

Shima, M., Ogawa, E., Ban, S., and Sato, M.: Conformational Behavior of Styrene–*p*-Chlorostyrene Triblock Copolymers in Dilute Solutions. I. Composition Dependence of Conformational Behavior, 1999
Smith, K. See Cornes, P. L.
Smith, P. and Pennings, A. J.: Eutectic Solidification of the Quasi Binary System of Isotactic Polypropylene and Pentaerythrityl Tetrabromide, 523
Smolders, C. A. See Koenhen, D. M.
Solunov, Ch. A. and Ponevsky, Ch. S.: Thermostimulated Depolarization Currents in Thermorheologically Simple Materials, 969
Sotobayashi, H. See Fujita, H.
Soutar, I. See Neilson, R. D. M.
—— See Rutherford, H.
Spence, J. See Brereton, M. G.
Starkweather, Jr., H. W.: Melting and Internal Motion in Highly Alternating Copolymers of Ethylene and Carbon Monoxide, 247
Steedman, W. See Neilson, R. D. M.
Stein, R. S. See Mandelkern, L.
—— See Warner, F. P.
Steinhauer, D. B. See Dunbar, J. I.
Stevens, G. C. See Bloor, D.
Stockmayer, W. H. See Jones, A. A.
—— See Matsuo, K.
Stupp, S. I. and Carr, S. H.: Chemical Origin of Thermally Stimulated Discharge Currents in Polyacrylonitrile, 485
Sturgeon, P. Z. See Garton, A.
Sugai, S. See Okuda, T.
Sumita, M., Miyasaka, K., and Ishikawa, K.: Effect of Drawing on the Melting Point and Heat of Fusion of Polyethylene, 837
Summerfield, G. C. See Ullman, R.
Szöcs, F. and Klimová, M.: ESR Study of Pressure and Temperature Dependence of Free-Radical Decay in Poly(vinyl Chloride), 1983

Takai, Y., Osawa, T., Mizutani, T., and Ieda, M.: Photoconduction in Poly(ethylene Terephthalate). I. Mechanisms of Carrier Generation, 945
Takayanagi, M. See Kajiyama, T.
Takeda, M. See Nakamura, K.
Taki, N. See Fukita, H.
Talamini, G. See Palma, G.
Tamura, N. See Arai, H.
Tanaka, F. and Okamura, K.: Measurement of Pole Figures and Orientation Functions for *Valonia* Cellulose, 897
Tanaka, K. See Ito, M.
Tarucha, S. See Yano, O.
Tavan, M. See Palma, G.
Thornley, P. W. and Shepherd, I. W.: Raman Depolarization Measurements Over the Entire Miscible Range for Polystyrene–Cyclohexane and Polydimethylsiloxane–Benzene Solutions: Determination of Upper Theta Temperatures, 97
—— and ——: Polarized Raman Scattering of Concentrated Solutions of Poly(dimethyl Siloxane) in Benzene, 1339
Tirrell, M. and Malone, M. F.: Stress-Induced Diffusion of Macromolecules, 1569
Tobin, M. C.: Theory of Phase Transition Kinetics with Growth Site Impingement. III. Mixed Heterogeneous–Homogeneous Nucleation and Nonintegral Exponents of the Time, 2269
Todo, A. See Hashimoto, T.
Todoki, M. and Kawaguchi, T.: Origin of Double Melting Peaks in Drawn Nylon 6 Yarns, 1067
—— and ——: Melting of Constrained Drawn Nylon 6 Yarns, 1507
Tonelli, A. E.: Melting of Aliphatic Nylons, 2051
Trainor, A., Haward, R. N., and Hay, J. N.: The Effect of Density on the Properties of High Molecular Weight Polyethylenes, 1077
Tschoegl, N. W. See Chang, W. V.

Uhlmann, D. R. See Desper, C. R.
—— See Kolbeck, A. G.
Ullman, R., Summerfield, G. C., and King, J. S.: Investigation of Heterogeneities in Solid Polyethylene by Small Angle Neutron Scattering, 1641

Valanis, K. C. and Yilmazer, U.: A Probabilistic Theory on the Time to Fracture of Amorphous Crosslinked Polymers, 1101
Vanderschueren, J.: General Properties of Secondary Relaxations in Polymers as Determined by the Thermally Stimulated Current Method, 873
Van Laeken, A. See Griffiths, C. H.
Vošický, V. and Bohdanecký, M.: Calculations of the Sedimentation Coefficients of Polydisperse, Randomly Branched Polymers, 757
Vrentas, J. S. and Duda, J. L.: Diffusion in Polymer–Solvent Systems. I. Reexamination of the Free-Volume Theory, 403
—— and ——: Diffusion in Polymer–Solvent Systems. II. A Predictive Theory for the Dependence of Diffusion Coefficients on Temperature, Concentration, and Molecular Weight, 417
—— and ——: Diffusion in Polymer–Solvent Systems. III. Construction of Deborah Number Diagrams, 441
——, ——, and Ni, Y. C.: Analysis of Step-Change Sorption Experiments, 2039

Vrij, A., and Roebersen, G. J.: Inhomogeneous Polymer Solutions: Theory of the Interfacial Free Energy and the Composition Profile Near the Consolute Point, 109
Wada, Y. See Yano, O.
Ward, I. M. See Duckett, R. A.
Warner, F. P., MacKnight, W. J., and Stein, R. S.: A Small-Angle X-Ray Scattering Study of Blends of Isotactic and Atactic Polystyrene, 2113
Weikart, D. F. See McCullough, R. L.
Weiss, R. A., Lenz, R. W., and MacKnight, W. J.: Properties of Polyethylene Modified with Phosphonate Side Groups. I. Thermal and Mechanical Properties, 1409
Wellinghoff, S. T., Koenig, J. L., and Baer, E.: Spectroscopic Examination of Chain Conformation and Bonding in Poly(phenylene Oxide)–Polystyrene Blends, 1913
Wiles, D. M. See Garton, A.
Williams, M. C. See Hong, S. D.
—— See Pico, E. R.
Wittmann, J. C. and Manley, R. St. J.: Polymer–Monomer Binary Mixtures. I. Eutectic and Epitaxial Crystallization in Poly(ε-Caprolactone)–Trioxane Mixtures, 1089
—— and ——: Polymer–Monomer Binary Mixtures. Eutectic Crystallization of Poly(ethylene Oxide)–Trioxane Mixtures, 2277
Woodward, A. E. See Frosini, V.
Worsfold, D. J.: Interpenetration of Polystyrene Chains in Bulk Polymer, 103
Wunderlich, B. See Czornyj, G.
—— See Jain, P. C.
—— See Lee, C. J.

Yang, H. W.-H. See Matsuo, K.
Yannas, I. V. See Jansson, J-F.
Yano, O., Saiki, K., Tarucha, S., and Wada, Y.: Dielectric Loss of Polyethylene Below 4.2°K Arising from Proton Tunneling, 43
Yilmazer, U. See Valanis, K. C.
Yoda, O. and Kuriyama, I.: Structural Changes on Hot-Rolling of Polyethylene. I. Crystallite Orientation and Lamellar Deformation, 773
—— and ——: Structural Changes on Hot-Rolling of Polyethylene. II. Crystallite Size Distribution and Lattice Distortions, 787
Yokoyama, S. See Matsumoto, A.
Yoshinaga, T. See Kajiyama, T.
Yu, C. U. See Mark, J. E.

Zapas, L. J. See Crissman, J. M.
Zihlif, A. M. See Duckett, R. R.

Subject Index to Volume 15

Acoustic absorption in polystyrene solutions, 263
Adsorption: see sorption
Annealing: and crystallinity in poly(vinyl chloride), 1041
and relaxation in polycarbonate, 199

Birefringence, electrical: see Kerr effect
Birefringence, optical: in polyethylene and polypropylene films, 1501
in stressed poly(vinyl chloride), 2227
in styrene–butadiene copolymer, 2037
of nylon 6, 1055, 1363
Bisphenol-A—epichlorohydrin copolymer, crystal structure of, 2055
Bisphenol-A polycarbonate: infrared dichroism of, 2103
melting behavior of plasticized samples of, 1283
Brillouin light scattering in amorphous polymers, 455, 579
Butadiene–ethylene oxide block copolymer, molecular motions in aqueous solutions of, 2095
Butadiene–methacrylic acid telechelic copolymer, structure of, 1707
Butadiene–styrene block copolymer, viscoelasticity in, 385
Butadiene–styrene copolymers, C-13 NMR study of, 1451

Carborane siloxane polymers, structure–property relationships of, 723
Cellulose acetate gels, light scattering and elasticity in, 555
Cellulose, crystallite orientation in, 897
Chain conformation: in blends of polystyrene and poly(dimethyl phenylene oxide), 1913
in oriented polystyrene gels, 211
in polyethylene, 995, 1011, 1223, 1237, 1427
in poly(methyl heptene) and poly(methylbutyl vinyl ether), 1251
Chain dimensions: from GPC and fracture-surface study of polyethylene, 995, 1011
of poly(diethylene terephthalate) in benzene solutions, 1397
Chain dynamics of polystyrenes, NMR study of, 2127, 2143
Chain entanglement model for viscoelastic phenomena, 1869
Chain interactions in dilute solutions, 1129, 1435
Chains: deformation mechanisms and energetics of tie-molecules in, 1805, 1837
in bulk polymer, interpenetration of, 103
vibrations in, 1721, 1739, 1775
Chromatography: see gas chromatography and gel permeation chromatography
Compressibility, adiabatic, in polymer solutions, 263, 279
Conductivity of crystallizable poly(phenylacetylene), 627
Conformation changes: of maleic acid–styrene copolymer in solution, 749
in poly(β-benzyl L-aspartate) films, 1029
in poly(vinyl chloride) films, 1379
Copolymers: ABA block, thermodynamics of copolymer–solvent systems, 1585
bisphenol-A–epichlorohydrin (phenoxy resin), crystal structure of, 2055
block copolymer–homopolymer mixtures, phase separation in, 2033
block copolymers, molecular motions in solutions of, 2087, 2095
butadiene–methacrylic acid, telechelic, x-ray study of, 1707
butadiene–styrene block, viscoelasticity in, 385
butadiene–styrene, hydrogenated, NMR study of, 1451
ethylene–CO, melting and molecular motion in, 247
ethylene–propylene, adiabatic compressibility of solutions of, 279
maleic acid–styrene, conformational transition in solutions of, 749
methyl methacrylate–styrene, dielectric properties in dilute solutions of, 881
styrene–butadiene, birefringence in, 2037
stress relaxation in, 2037, 2185
viscoelasticity in, 923
styrene–butadiene–styrene triblock, sorption of cyclohexane in, 1927
styrene–crosslinked polyester, relaxations in, 1953, 1967
styrene–divinylbenzene, GPC with on-line viscometry of, 85
styrene–isoprene multiblock, microstructure and dilute solution properties of, 1937
styrene–*n*-alkylmethacrylate, unperturbed dimensions of, 1521
styrene–*p*-chlorostyrene triblock, dilute solution properties of, 1999
Craze initiation in polycarbonate, 1791

Crosslinked polymers: photon correlation spectroscopy of, 11
relaxations in, 1953, 1967
Crystal structure: of phenoxy resin, 2055
of poly(2-vinylpyridine), 805
Crystallinity: affected by heating of nylon 6, 1067
effect of molding conditions on, 1077
NMR study of phase structure in polyethylene, 821
of annealed poly(vinyl chloride), 1041
orientation in blends of polycaprolactone with poly(vinyl chloride) or nitrocellulose, 1143
x-ray study of blends of isotactic and atactic polystyrenes, 2113
Crystallites: effect on linear swelling of nylon 6, 1363
in hot-rolled polyethylene, 773, 787
in polybutene-1 films, 501
orientation distribution in cellulose, 897
orientation in Kevlar, 2201
Crystallization: and melting of polystyrene, 1475, 1485
in high-stress extrusion processing, 27
in polycaprolactone–trioxane mixtures, 1089
in poly(ethylene oxide)–trioxane mixtures, 2277
in polymerization of diphenylsilylene, 355
in polypropylene–pentaerythritylbromide solidification, 523
in sheared polypropylene, 1779
induced by flow in capillary dies, 1291
induced by flow in melt spinning of polyethylene, 2151
of biphenyl in polyethylene, 1655
of polypropylene in temperature gradient, 641
of polystyrene–poly(dimethyl phenylene oxide) system, 1757
Crystals of extended-chain polyethylene, preparation and study of, 1905

Deformation: and cracking of poly(vinyl chloride), 2227
and crazing in polycarbonate, 1791
effect on molecular motion in polyethylene, 1697
in high-stress extrusion processing, 27
in oriented polyethylene and polyethylene terephthalate, 333
in polybutene-1 films, 501
of polyethylene in hot-rolling, 773, 787
of polypropylene monofilaments, 2013
shear-induced crystallization in polypropylene, 1779
structural changes in fatigued nylon 6, 1055
thermally stimulated creep, 767
Degradation through scission and depolymerization, kinetic models for, 1117
Diamides, melting behavior of, 587
Dielectric loss of polyethylene at low-temperature, 43
Dielectric properties: of dilute methyl methacrylate–styrene copolymer solutions, 873
of ethylene–CO copolymer, 247
of polyacrylonitrile, 485
of poly(diethylene terephthalate) in benzene, 1397
of poly-L-proline, 541
of poly(vinylidene fluoride), 583
Dielectric relaxation: from thermostimulated depolarization currents, 969
in linear aliphatic polyesters, 605
in poly(vinyl acetate)–toluene system, 693
interpretation of data on, 1
of methyl methacrylate copolymers, 881
of methyl methacrylate–styrene copolymers in dilute solution, 881
of polar polymers, 873
of polybenzoxazoles, 1121
of polyethylene at low temperature, 43
of poly-L-proline, 541
thermal effects in polycarbonate, 199
Differential scanning calorimetry (DSC):
of blends of atactic and isotactic polystyrene, 2113
of blends of polystyrene and poly(dimethyl phenylene oxide), 1757
of carborane siloxane polymers, 723
of cold-deformed polyethylene, 1697
of crystallization of polypropylene, 641
of drawn nylon-6, 1067, 1507
of drawn polyethylene films, 837
of flow-induced crystals of poly(ethylene terephthalate), 1291
of glass fiber–polymer composites, 1557
of high molecular weight polyethylenes, 1077
of plasticized bisphenol-A polycarbonate, 1283
of poly(β-benzyl L-aspartate), 1029
of polycaprolactone–trioxane mixtures, 1089
of polydioxolan, 1619
of polyethylene fibers, 2151
of poly(ethylene oxide), 1319, 1329
of polyethylene phosphonates, 1409
of polypropylene–pentaerythrityl tetrabromide system, 523
of polystyrene crystals, 1475, 1485
of random-coil silk fibroin, 1675
of solutions of poly(dimethyl propylene oxide), 155, 167
Differential thermal analysis (DTA):
in polymerization of diphenylsilylene, 355
of ethylene–CO copolymer, 247
of extended-chain crystals of polyethylene, 1905

of poly(4-methyl-1-pentene) under pressure, 2271
of poly(vinyl acetate)–toluene system, 693
Diffusion constant: from initial sorption data, 1309
from step-change sorption experiments, 2039
in polymer–solvent systems, 403, 417
of chain terminal groups, 1435
of cyclohexane in SBS triblock copolymer, 1927
of dichlorodifluoromethane in poly(dimethyl siloxane), 227
of polymeric gels, 11
Diffusion: of long molecules through polyethylene, 2057, 2065
of macromolecules, stress-induced, 1569
Dilatometry of glass fiber–polymer composites, 1557
Diolefinic compounds, photopolymerization of, 173
Dynamic mechanical properties:
of aromatic polyesters, 239
of cold-deformed polyethylene, 1697
of entangled polymer chains, 1869
of ethylene–CO copolymer, 247
of filled polymers, 683
of oriented polyethylene rod, 1685
of poly(biphenyl acrylate) and poly(cyclohexylphenyl acrylate), 2239
of styrene-crosslinked polyester networks, 1953, 1967

Elasticity of gels of cellulose acetate in benzyl alcohol, 555
Elasticity of rubber, theories of, 193
Electron microscopy: of crazes and brittle fractures, 955
of epoxy–elastomer resins, 1211
of eutectic system polypropylene–pentaerythrityl bromide, 523
of filled polymerized benzonitrile, 1989
of Kevlar polyamide, 2201
of polybutene-1 films, 501
of polyethylene, 998, 1237, 2151
of polymerizing vinylchloride, 1537
of polypropylene monofilaments, 2013
of spherulites of polystyrene and polypropylene, 1267
Electron paramagnetic resonance: see electron spin resonance
Electron spin resonance (ESR):
hydrogen catalysis of radical decay, 907
of irradiated poly(methyl methacrylate), 987
of oligoarylenes, 2075
of poly(ethylene oxide), 1329
of substituted diacetylene polymer, 703
radical decay in poly(vinyl chloride), 1983
Energy transfer efficiency in polymerizing media, 617
Epoxy–elastomer resins, heterogeneity analysis of, 1211
Ethylene–CO copolymer, melting behavior of, 247
Ethylene–propylene copolymer, adiabatic compressibility of, 279
Extrusion processing under high-stress, 27

Fibroin, thermal behavior in random-coil conformation of, 1675
Field polymerization of benzonitrile, 1989
Filled polymers: temperature dependence of dynamic mechanical properties of, 683
thermal expansion and glass transition in glass fiber–polymer composites, 1557
Films, automated apparatus for study of light scattering in, 303
Fluorescence–depolarization and dielectric relaxation, 1
Fluorescence quenching and chain dynamics of polymers, 1435
Fracture, mechanism of, 955, 1101

Gases, solubility in polymers, 227, 593, 795, 907
Gas–liquid chromatography of volatile solutes in poly(vinyl acetate), 145
Gel partition–permeation chromatography of *n*-alkane solutes, 2047
Gel permeation chromatography (GPC):
combined with on-line viscometry, 71, 85
of styrene–alkyl methacrylate copolymers, 1521
study of chain extension in polyethylene, 995
Gel point in polydiallyl aromatic dicarboxylates, 127
Glass transition: domain size dependence of, 1037
of glass fiber–polymer composites, 1557
in blends of polystyrene and poly(dimethyl phenylene oxide), 1757
in block copolymer–homopolymer mixtures, 2033
in carborane siloxane polymers, 723
Glassy polymers: infrared dichroism of polycarbonate under strain, 2103
inorganic oxide networks, 675
relation between yield stress and shear modulus in, 1601
thermal conductivity of poly(alkyl methacrylates), 1199

Infrared dichroism: in blends of polycaprolactone, 1143
of glassy polycarbonate, 2103
Infrared spectra: of blends of polystyrene and

poly(dimethyl phenylene oxide), 1913
of brominated polyvinylcarbazole, 1627
of isotactic polystyrene, 1885
of oligoarylenes, 2075
of polyacrylonitrile, 485, 2201
of polyethylene, 1223, 1237, 1647, 2027
of polyethylene phosphonates, 1409
of poly(methylbutyl vinyl ether), 1251
of poly(methyl heptene), 1251
of silk fibroin, 1675
Intrinsic viscosity: correlation with preferential solvation in mixed solvents, 137
of aqueous solutions of SLS with AB block copolymer, 2087
of multiblock copolymers of styrene and isoprene, 1937
of nondraining polymer coils, 2255
of random and alternating styrene–*n*-alkyl methacrylate copolymers, 1521
of styrene–*p*-chlorostyrene triblock copolymers, 1999
on-line measurement in GPC, 71, 85

Kerr effect of suspension of single crystals in liquid, 715
Kevlar, supramolecular structure of, 2201
Kinetic models for scission and depolymerization, 1117
Kinetics: of hydrogen-catalyzed radical decay in polyethylene, 907
of periodate oxidation of polysaccharides, 321
of quaternization of poly(4-vinyl pyridine) with 1-bromopropane, 283

Light scattering: automated apparatus for study of films, 303
critical opalescence, 109
from crosslinked polystyrene networks, 11
from epoxy–elastomer resins, 1211
from gels of cellulose acetate in benzyl alcohol, 555
from mixtures and fractions of polyethylene, 1189
from polybutene-1 films, 501
from polyethylene and polypropylene films, 1501
multiple scattering from rods, 1613
Light scattering in solution: see also quasielastic and Brillouin light scattering
of poly(α-methyl styrene), 1129
of poly(dimethyl phenylene oxide), 155
of styrene–*n*-alkyl methacrylate copolymers, 1521
preferential solvation in mixed solvents from, 137

Maleic acid–styrene copolymer, conformational transition in solution of, 749
Mechanical behavior of oriented polyethylene rod, 1685
Mechanical properties: of carborane siloxane elastomers, 723
of drawn and annealed polyethylene, 389, 1177
of fatigued nylon 6, 1055
of glassy polymers, 1601
of high molecular weight polyethylenes, 1077
of methyl methacrylate–styrene copolymers in dilute solution, 881
of polyethylene fiber, 2151
of polyethylene phosphonates, 1409
of silk fibroin, 1675
Melting behavior: of aliphatic and aromatic diamides, 587
of aliphatic nylons, 2051
of annealed swollen nylon-6, 915
of blends of polystyrene and poly(dimethyl phenylene oxide), 1757
of drawn films of polyethylene, 837
of drawn nylon-6, 1067, 1507
of ethylene–CO copolymer, 247
of plasticized bisphenol-A polycarbonate, 1283
of poly(dimethyl phenylene oxide) solutions, 155, 167
of polydioxolan, 1619
of poly(ethylene oxide), 1319
of poly(4-methyl-1-pentene) under pressure, 2271
of polypropylene, 641
of polystyrene crystals, 1475, 1485
Molecular motion: deformation mechanisms of constrained chains, 1805, 1837
from NMR spin relaxation study of polymer solutions, 847, 863, 1347
in cold-deformed polyethylene, 1697
in polyfluorostyrenes, 1347
of block copolymers in solution, 2095
of polymers in solution, 1435, 2127, 2143
phosphorescence depolarization study of segmental relaxation, 2213
thermally stimulated creep study of, 767
vibrations of chains, 1721, 1739
vibrations of rods, 1769
Molecular orientation in deformation bands, 333
Molecular structure, from diffusion of long molecules through polyethylene, 2057, 2065
Molecular weight distribution:
effect of heterogeneity on second virial coefficient, 1129
effect on microstructure of oligoarylenes, 2075
from GPC of polyethylene, 995
Molecular weights: from equilibrium ultra-

centrifugation, by regression analysis of data, 773
of polystyrene in dilute solution, 1129, 1163
Morphology: in bulk polymerization of vinyl chloride, 1537
of melt spun polyethylene fiber, 2151
of mixtures and fractions of polyethylene, 1189
of polydioxolan, 1619
of polypropylene crystallized in temperature gradient, 641
of polyurethane, from NMR study, 59

Networks: comparison of theories for elasticity of, 193
entanglements in networks in extension, 761
light scattering and elasticity in cellulose acetate gels, 555
of polymeric phosphate glasses, 675
of styrene-crosslinked polyester, relaxations in, 1953, 1967
photon correlation spectroscopy of crosslinked polystyrenes, 11
stress–strain and stress–temperature properties of organophosphazene polymers, 371
Neutron scattering: in polyethylene, 1641
Nitrocellulose in binary blends with polycaprolactone, 1143
Nuclear magnetic resonance (NMR): of aromatic polyesters, 239
of block copolymers in solution, 2087, 2095
of cold-deformed polyethylene, 1697
of hydrogenated butadiene–styrene copolymers, 1451
of polydiphenylsilylene, 355
of polyethylene, 821
of polyfluorostyrenes, 1347
of polyurethanes, 59
of poly(vinyl acetate)–toluene system, 693
of styrene–isoprene multiblock copolymers, 1937
spin relaxation of polymers in dilute solution, 847, 863, 2127, 2143
study of gas diffusion in poly(dimethyl siloxane), 227
Nucleation in phase transitions, 2269
Nylon-6: annealing in swollen state of, 915
dielectric relaxation of, 873
effect of molecular orientation on swelling of, 1363
fatigue in fibers of, 1055
melting of, 1507, 2051
Nylon-12, isomerization in casting of, 1315
Nylon-66, melting of, 2051

Oligoarylenes, microstructure and properties of, 2075
Optical absorption spectra: of brominated polyvinylcarbazole, 1627
of irradiated poly(methyl methacrylate), 987
Optical microscopy: of craze nucleation in polycarbonate, 1791
of crazes and brittle fractures, 955
of crystallization in polycaprolactone–trioxane system, 1089
of crystallization of polypropylene in temperature gradient, 641
of extended-chain polyethylene crystals, 1905
of flow-induced crystals in poly(ethylene terephthalate), 1291
of melting of polydioxolan, 1619
of polyethylene fractions, 1189
of shear-induced crystallization in polypropylene, 1779
of spherulite growth in blends of polystyrene with poly(dimethyl phenylene oxide), 1757
of spherulites in polypropylene–pentaerythrityl bromide system, 523
of stressed poly(vinyl chloride), 2227
Osmotic pressure: of poly(α-methyl styrene) in toluene, 1129
of styrene–alkyl methacrylate copolymers in butanone, 1521
of styrene–*p*-chlorostyrene triblock copolymers, 1999

Permeation: dye penetration of fatigued nylon-6, 1055
Phase separation: eutectic crystallization in poly(ethylene oxide)–trioxane mixtures, 2277
heterogeneous–homogeneous nucleation in, 2269
in block copolymer–homopolymer mixtures, 2033
in epoxy–elastomer resins, 1211
in polycaprolactone–trioxane system, 1089
in poly(dimethyl phenylene oxide) solutions, 155
in polymer solutions, 109
in polypropylene–pentaerythrityl bromide system, 523
Phenoxy resin, crystal structure of, 2055
Phosphorescence depolarization of poly(methyl acrylate), 2213
Photoconductivity in brominated polyvinylcarbazole, 1627
in poly(ethylene terephthalate), 945
in polyvinylcarbazole, 379
in styrene films, 981
Photon correlation spectroscopy of crosslinked polystyrene, 11
Photopolymerization of diolefins, 173
Piezoelectric effect: sorption study of solubility

of ethylene in polyethylene, 593
Polyacetal, yield stress and shear modulus of, 1601
Polyacrylic acid, dielectric relaxation of, 873
Polyacrylonitrile: thermally stimulated discharge currents in, 485
Poly(alkyl methacrylates): thermal conductivity of, 1199
unperturbed dimensions of, 1521
Poly(α-methyl styrene), second virial coefficient and molecular weight heterogeneity of, 1129
Polyamides: dielectric relaxation of, 873
melting of, 2051
supramolecular structure of, 2201
Poly(β-benzyl L-aspartate), conformational transitions in, 1029
Polybenzoxazole, effect of adsorbed water on dielectric relaxation of, 1121
Poly(biphenyl acrylate), dynamic mechanical properties of, 2239
Polybutadiene: entanglements in networks of, 761
GPC and on-line viscometry of, 71, 85
Polybutene-1, crystalline structure and deformation of, 501
Poly(butyl methacrylates), thermal conductivity of, 1199
Polycaprolactone: binary blends with poly(vinyl chloride) and with nitrocellulose, 1143
crystallization in mixtures with trioxane, 1089
dielectric relaxation of, 873
Polycarbonate: craze nucleation in, 1791
fracture of, 955
infrared dichroism of, 2103
relaxation processes in, 199
yield stress and shear modulus of, 1601
Poly(*p*-chlorostyrene), dielectric relaxation of, 1
Poly(cyclohexylphenyl acrylate), dynamic mechanical properties of, 2239
Poly(diacetylene), substituted, thermal polymerization of, 703
Polydiallyl aromatic dicarboxylates, gelation in, 127
Poly(diethylene terephthalate), dipole moments in benzene solutions of, 1397
Poly(dimethyl phenylene oxide): phase separation in solutions of, 155, 167
spectroscopy of blends with polystyrene, 1913
Polydimethylsiloxane: Brillouin scattering and relaxation in, 455
diffusion of dichlorodifluoromethane in, 227
Raman depolarization in benzene solutions of, 97, 1339
Polydioxolan, morphology and melting behavior of, 1619
Polydiphenylsilylene, crystallization during polymerization of, 355
Polyelectrolytes: conformational transition in aqueous solutions of maleic acid–styrene copolymer, 749
properties near the rod limit (theory), 477
Polyesters, dielectric relaxations in, 605
Polyethylene: crystallization of biphenyl in, 1655
deformation band studies of, 333
deformation in hot-rolling of, 773, 787
diffusion of long molecules through, 2057, 2065
effect of density and high molecular weight on properties of, 1077
extended-chain single crystals of, 1905
flow-induced crystallization in melt spinning of, 2151
high-stress extrusion processing of, 27
hydrogen gas catalysis of radical decay in, 907
infrared spectra of, 1223, 1237, 1647, 2027
light scattering from mixtures and fractions of, 1189
low-temperature dielectric loss in, 43
mechanical behavior of oriented rod of, 1685
mechanical properties in drawn and annealed fibers of, 389, 1177
melting behavior of drawn films of, 837
molecular conformation in, 995, 1011
molecular motion after cold-deformation of, 1697
neutron scattering in, 1641
NMR study of phase structure in, 821
solubility of ethylene in, 593
solubility of nitrogen in, 795
thermomechanical analysis of, 1427
x-ray study of solid-state extruded ribbons of, 1863
Poly(ethylene adipate): dielectric relaxations in, 605
Poly(ethylene oxide): eutectic crystallization in trioxane mixtures, 2277
relaxation processes in, 1319, 1329
Polyethylene phosphonates, thermal and mechanical properties of, 1409
Poly(ethylene sebacate), dielectric relaxations in, 605
Poly(ethylene terephthalate): deformation band studies of, 333
flow-induced crystallization of, 1291
photoconduction in, 945
Poly(ethyl methacrylate), thermal conductivity of, 1199
Polyfluorostyrenes, NMR spin relaxation study of, 1347
Polyisobutylene, Brillouin scattering and relaxation in, 455
Poly-L-proline, thermally stimulated current

study of relaxation in, 541
Polymethacrylates, dielectric relaxation of, 873
Poly(methyl acrylate), phosphorescence depolarization in, 2213
Poly(methylbutyl vinyl ether), IR spectra and conformation of, 1251
Poly(methyl heptene), IR spectra and conformation of, 1251
Poly(methyl methacrylate): dielectric relaxation of, 969
fracture of, 955
thermal conductivity of, 1199
thermoluminescence on irradiation of, 987
yield stress and shear modulus of, 1601
Poly(methyl pentene), melting behavior under pressure, 2271
Poly(phenyl acetylene), electrical conductivity of, 627
Poly(phenylene phthalates), NMR and dynamic mechanical properties of, 239
Polypropylene: Brillouin scattering and relaxation in, 455
crystallization of, 641
deformation of monofilaments of, 2013
eutectic system with pentaerythrityl bromide, 523
heat conduction of spherulites of, 1267
high-stress extrusion processing of, 27
shear-induced crystallization in, 1779
Polysaccharides, kinetics of periodate oxidation of, 321
Polystyrene: acoustic absorption in solutions of, 263
Brillouin scattering in, 579
^{13}C and proton nuclear magnetic relaxation in solutions of, 2127, 2143
densities of solutions of, 263
diffusion constant of ethylbenzene in, 2039
diffusion in ethylbenzene solutions of, 417
heat conduction of spherulites of, 1267
interpenetration of chains in bulk, 103
light scattering from networks of, 11
nonisothermal stress birefringence in, 1663
phase separation in mixtures with block copolymers, 2033
phenyl group rotations from NMR spin relaxation in, 863
photoconductivity in films of, 981
preferential solvation and intrinsic viscosity in mixed solvents, 137
Raman depolarization in cyclohexane solutions of, 97
sedimentation equilibrium in benzene solutions of, 1163
spectroscopic study of blends with poly(dimethyl phenylene oxide), 1913
thermal stability of crystals of, 1475, 1485
thermoluminescence following irradiation of, 1261
vibrational analysis of IR spectrum of, 1885
viscosity of solutions of, 263
x-ray diffraction of blends of isotactic and atactic, 2113
x-ray diffraction of oriented gels of, 211
Polysulfone, fracture of, 955
Polyurethane, NMR of, 59
Poly(vinyl acetate): Brillouin scattering and relaxation in, 455
dielectric relaxation of, 873
GPC and on-line viscometry of, 71, 85
solubility of volatile solute in, 145
Poly(vinyl acetate)–toluene system, molecular motion and glass transition in, 693
Poly(vinyl alcohol), dielectric relaxation of, 873
Polyvinylcarbazole, photoconductivity in, 379, 1627
Poly(vinyl chloride): binary blend with caprolactone, 1143
conformational changes in, 1379
crystallinity and annealing of, 1041
dielectric relaxation of, 873
fracture mechanism in, 955, 2227
morphology in bulk polymerization of, 1537
radical decay in, 1983
yield stress and shear modulus of, 1601
Poly(2-vinylpyridine): crystal structure of, 805
dielectric relaxation of, 873
intrinsic viscosity and solvation in mixed solvent, 137
Poly(4-vinylpyridine), kinetics of quaternization with 1-bromopropane, 283
Polyvinylidene fluoride: dielectric properties of, 583
high-stress extrusion processing of, 27

Quasielastic scattering in dilute polymer solutions, 255, 1745

Radiation-induced bulk polymerization of vinyl chloride, 1537
Radical decay: hydrogen gas catalysis of, 907
pressure and temperature effects in poly(vinyl chloride), 1983
Raman depolarization in polymer solutions, 97, 1339
Raman spectra: of polydiphenylsilylene, 355
Refractive index increments of styrene–alkyl methacrylate copolymer in butanone, 1521
Relaxation: in amorphous polymers, from Brillouin scattering, 455
in cold-deformed polyethylene, 1697
in dilute solutions of randomly coiled polymers, 847

in poly(biphenyl acrylate) and poly(cyclohexylphenyl acrylate), 2239
in poly(ethylene oxide), 1319, 1329
in styrene-crosslinked polyester networks, 1953
phosphorescence depolarization study of, 2213
Rubbery polymers: dynamic mechanical properties of filled nitrile rubber, 683
theories of elasticity of, 193
theory of fracture of, 1101
viscoelasticity of, 385, 923

Second virial coefficient, 1129, 1163
Sedimentation coefficients of polydisperse, randomly branched polymers, 757
Sedimentation equilibrium of polystyrene in benzene, 1163
Scintillator composition, plastic, 617
Solubility of ethylene in polyethylene, 593
Solvation and intrinsic viscosity of polymers in mixed solvents, 137
Sorption: analysis of step-change sorption experiments, 2039
dielectric relaxation of polybenzoxazole with adsorbed water, 1121
diffusion coefficient of cyclohexane in SBS triblock copolymer, 1927
diffusion coefficients from initial sorption data, 1309
dye penetration of fatigued nylon-6, 1055
effect of water on relaxations in styrene-crosslinked polyester networks, 1967
molecular orientation and swelling by water sorption in nylon-6, 1363
Spherulites: growth rate in blends of polystyrene and poly(dimethyl phenylene oxide), 1757
heat conduction in, 1267
in mixtures and fractions of polyethylene, 1189
Statistical mechanics:
chain motion and spin relaxation of polymers, 847, 863
coherent scattering law for dilute polymer solutions, 255
deformation mechanisms of constrained chains, 1805, 1837
excluded volume effect on intrinsic viscosity of nondraining polymer coils, 2255
free energy of mixing of polymer solution (theory), 291
Green's function analysis of vibrational spectra of polymer chains, 1721, 1739
internal viscosity of polymer molecules in solution, 465, 657
polyelectrolytes near the rod limit, 477
thermodynamics of plasticized ABA copolymers, 1585
vibrations of isolated and coupled rods, 1769
Stress birefringence, nonisothermal, in amorphous polymers, 1663
Stress-induced diffusion of macromolecules, 1569
Stress orientation in blends of polycaprolactone with poly(vinyl chloride) or nitrocellulose, 1143
Stress relaxation: in styrene–butadiene copolymer, 2037, 2185
of oriented polyethylene rod, 1685
Stress–strain relations: in fracture of amorphous crosslinked polymers, 1101
in polyacetal, 1601
in polybutene-1 films, 501
in polycarbonate, 1601
in poly(methyl methacrylate), 1601
in polyphosphazene elastomers, 371
in polypropylene monofilaments, 2013
in poly(vinyl chloride), 1601, 2227
in uncrosslinked styrene–butadiene copolymer, 923
thermally stimulated creep, 767
Styrene–butadiene copolymers:
birefringence and stress relaxation in, 2037
temperature effect on strain energy in, 2185
viscoelasticity in, 923
Styrene–butadiene–styrene triblock copolymer, sorption of cyclohexane in, 1927
Styrene-crosslinked polyester networks, relaxations in, 1953, 1967
Styrene–divinyl benzene copolymer, GPC with on-line viscometry of, 85
Styrene–ethylene oxide block copolymer, molecular motions in aqueous solutions of, 2087, 2095
Styrene–isoprene multiblock copolymers, microstructure and dilute solution properties of, 1937
Styrene–*n*-alkyl methacrylate copolymers in butanone, unperturbed dimensions of, 1521
Styrene–*p*-chlorostyrene triblock copolymers, dilute solution properties of, 1999
Swelling of nylon-6 by water, 1363

Thermal behavior of silk fibroin, 1675
Thermal conductivity: of glassy poly(alkyl methacrylates), 1199
of two-dimensional spherulites, 1267
Thermal degradation: of carborane siloxane polymers, 723
of polyacrylonitrile, 485
Thermal expansion: of glass fiber–polymer composites, 1557
of random-coil silk fibroin, 1675
Thermal polymerization of 2,4-hexadiyne–1,6-diol in solid state, 703
Thermal stability of polystyrene crystals, 1475,

1485
Thermally stimulated current studies of relaxation, 199, 485, 541, 873, 969
Thermodynamic parameters: free energy of mixing of poly(dimethyl siloxane) in benzene, 1339
free energy of mixing of polymer solution (theory), 291
heat of fusion affected by drawing of polyethylene, 837
in the glass transition, 1037
interfacial free energy and composition profile in inhomogeneous polymer solutions (theory), 109
of benzene solutions of polystyrene, 1163
of plasticized ABA copolymers, 1585
of toluene solutions of poly(dimethyl phenylene oxide), 155
Thermoelastic properties of polyphosphazene networks, 371
Thermogravimetry: of carborane siloxane polymers, 723
of formation of polydiphenylsilylene, 355
Thermoluminescence: of irradiated poly(methyl methacrylate), 987
of irradiated polystyrene, 1261
Thermomechanical analysis of drawn polyethylene, 1427
Theta temperature of polydimethylsiloxane in benzene, 97
Transferrin, human, equilibrium centrifugation analysis of, 733

Ultraviolet spectra: of blends of polystyrene and poly(dimethyl phenylene oxide), 1913
of polydiphenylsilylene, 355

Vibrational spectra of polymer chains, Green's function analysis of, 1721, 1739
Vibrations of isolated and coupled rods, 1769
Viscoelastic contribution to acoustic absorption, 263
Viscoelastic properties:
of butadiene–styrene block copolymer with free polybutadiene, 385
of entangled polymers, 1869
of poly(propylene glycol) melts, 657
of polystyrene solutions, 657
of uncrosslinked styrene–butadiene copolymers, 233
Viscosity: of poly(ethylene terephthalate) melts, 1291
of polypropylene melts, 1779
stress-induced diffusion of macromolecules in capillary flow, 1569
Viscosity of solutions:
on-line viscometry combined with GPC, 71, 85
internal viscosity of polymer molecules in solution, 465, 657

X-ray diffraction: of annealed swollen nylon-6, 915
of biphenyl crystals in polyethylene, 1655
of cold-deformed polyethylene, 1697
of deformation bands of polyethylene and poly(ethylene terephthalate), 333
of fatigued nylon-6, 1055
of flow-induced crystals in poly(ethylene terephthalate), 1291
of hot-rolled polyethylene, 773, 787
of nylon-12, 1315
of oligoarylenes, 2075
of oriented polystyrene gels, 211
of phenoxy resin, 2055
of poly(β-benzyl L-aspartate), 1029
of polydiolefins, 173
of polydioxolan, 1619
of polydiphenylsilylene, 355
of polyethylene fiber, 2151
of poly(methyl heptene), 1251
of poly(methylbutyl vinyl ether), 1251
of polystyrene blends, 2113
of poly(vinyl chloride), 1041
of poly(2-vinylpyridine), 805
of shear-induced crystals in polypropylene, 1779
of silk fibroin, 1675
of solid-state extruded polyethylene, 1863
of substituted diacetylene polymer, 703
of telechelic butadiene–methacrylic acid copolymer, 1707
of *Valonia* cellulose, 897
related to thermal history of polystyrene, 1485

Journal of Polymer Science

Polymer Physics Edition

Volume 15, 1977

Board of Editors: **H. MARK • C. G. OVERBERGER • T. G FOX**

Advisory Editors: **J. J. HERMANS • H. W. MELVILLE • G. SMETS**

Editor: **T. G FOX**

Associate Editors: **E. F. CASASSA • H. MARKOVITZ**

Advisory Board:

G. ALLEN, *Manchester*
W. O. BAKER, *Murray Hill, N.J.*
H. BENOIT, *Strasbourg*
F. A. BOVEY, *Murray Hill, N.J.*
A. M. BUECHE, *Schenectady, N.Y.*
P. G. DE GENNES, *Paris*
A. EISENBERG, *Montreal*
J. D. FERRY, *Madison, Wisc.*
E. W. FISCHER, *Mainz*
P. J. FLORY, *Stanford, Calif.*
H. L. FRISCH, *Albany, N.Y.*
H. FUJITA, *Toyonaka*
G. GEE, *Manchester*
A. N. GENT, *Akron, Ohio*
W. E. GIBBS, *Leominster, Mass.*
S. GRATCH, *Dearborn, Mich.*
C. A. J. HOEVE, *College Station, Tex.*
J. D. HOFFMAN, *Washington, D.C.*
H. D. KEITH, *Murray Hill, N.J.*
A. KELLER, *Bristol*
A. J. KOVACS, *Strasbourg*
G. KRAUS, *Bartlesville, Okla.*
W. R. KRIGBAUM, *Durham, N.C.*
S. KRIMM, *Ann Arbor, Mich.*
M. KURATA, *Kyoto*
R. F. LANDEL, *Pasadena, Calif.*
P. H. LINDENMEYER, *Seattle, Wash.*
L. MANDELKERN, *Tallahassee, Florida*
J. E. MARK, *Cincinnati, Ohio*
B. MAXWELL, *Princeton, N.J.*
L. NIELSEN, *Redmond, Ore.*
A. PETERLIN, *Washington, D.C.*
R. S. PORTER, *Amherst, Mass.*
G. V. SCHULZ, *Mainz*
A. R. SHULTZ, *Schenectady, N.Y.*
A. SILBERBERG, *Rehovot*
R. SIMHA, *Cleveland, Ohio*
W. P. SLICHTER, *Murray Hill, N.J.*
T. L. SMITH, *San Jose, Calif.*
R. S. STEIN, *Amherst, Mass.*
W. H. STOCKMAYER, *Hanover, N.H.*
M. TAKAYANAGI, *Fukuoka*
P. WEISS, *Warren, Mich.*
B. WUNDERLICH, *Troy, N.Y.*

an Interscience® Publication
published by JOHN WILEY & SONS

Copyright © 1977 by John Wiley & Sons, Inc.

The *Journal of Polymer Science* is published as follows: *Polymer Chemistry Edition*, monthly; *Polymer Physics Edition*, monthly; *Polymer Letters Edition*, monthly; *Polymer Symposia*, irregularly.

Published monthly (one volume per year) by John Wiley & Sons, Inc. Copyright © 1977 by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10016. All rights reserved. No part of this publication may be reproduced by any means, or transmitted, or translated into a machine language without the written permission of the publisher. Second-class postage paid at New York, New York, and at additional mailing offices.

Subscription price (1978): $485.00 per volume. Postage and handling outside U.S.A.: $37.00. Please allow 4 weeks for change of address. Back volumes, microfilm, and microfiche are available for previous years. Request price list from publisher.

Claims for undelivered copies must be made no later than three months following month of publication. Missing copies will be supplied when losses have been sustained in transit and when reserve stock will permit.

Journal of Polymer Science: Polymer Physics Edition

Contents

Volume 15, 1977

ISSUE NO. 1, JANUARY

F. GÊNY and L. MONNERIE: Dynamics of Macromolecular Chains. V. Interpretation of the Dielectric Relaxation Data 1

J. P. MUNCH and S. CANDAU: Photon Correlation Spectroscopy of Crosslinked Polystyrene Networks in the Swollen State: Influence of Macromolecular Polydispersity 11

A. G. KOLBECK and D. R. UHLMANN: Processing of Semicrystalline Polymers by High-Stress Extrusion 27

O. YANO, K. SAIKI, S. TARUCHA, and Y. WADA: Dielectric Loss of Polyethylene Below 4.2°K Arising from Proton Tunneling 43

R. A. ASSINK: The Study of Domain Structure in Polyurethanes by Nuclear Magnetic Resonance 59

W. S. PARK and W. W. GRAESSLEY: On-Line Viscometry Combined with Gel Permeation Chromatography. I. Instrumental Calibration and Testing with Linear Polymers ... 71

W. S. PARK and W. W. GRAESSLEY: On-Line Viscometry Combined with Gel Permeation Chromatography. II. Application to Branched Polymers 85

P. W. THORNLEY and I. W. SHEPHERD: Raman Depolarization Measurements Over the Entire Miscible Range for Polystrene–Cyclohexane and Polydimethylsiloxane–Benzene Solutions: Determination of Upper Theta Temperatures 97

D. J. WORSFOLD: Interpenetration of Polystyrene Chains in Bulk Polymer 103

A. VRIJ and G. J. ROEBERSEN: Inhomogeneous Polymer Solutions: Theory of the Interfacial Free Energy and the Composition Profile Near the Consolute Point 109

A. MATSUMOTO, S. YOKOYAMA, T. KHONO, and M. OIWA: Studies of the Poiymerization of Diallyl Compounds. XXV. Gel Point in the Polymerization of Diallyl Esters of Aromatic Dicarboxylic Acids 127

A. DONDOS and H. BENOÎT: Relation Between Preferential Solvation and Intrinsic Viscosity of Polymers in Solvent Mixtures 137

D. D. LIU and J. M. PRAUSNITZ: Solubilities of Volatile Solutes in Poly(vinyl Acetate) from 125 to 200°C 145

D. M. KOENHEN and C. A. SMOLDERS: Phase-Separation Phenomena in Solutions of Poly-(2,6-dimethyl-1,4-phenylene Oxide). I. Thermodynamic Parameters of Solutions in Toluene 155

D. M. KOENHEN and C. A. SMOLDERS: Phase-Separation Phenomena in Solutions of Poly-(2,6-dimethyl-1,4-phenylene Oxide). II. Differential Scanning Calorimetry of Solutions in Toluene 167

H. NAKANISHI, M. HASEGAWA, and Y. SASADA: Four-Center Photopolymerization in the Crystalline State. VIII. X-Ray Crystallographic Study of the Polymerization of Some Diolefinic Compounds 173

NOTES

R. J. ARENZ and R. F. LANDEL: A Note on Comparison of Gaussian Statistical and Mooney–Rivlin Theories of Rubber Elasticity 193

ERRATUM

H. W. S. HSIEH, B. POST, and H. MORAWETZ: A Crystallographic Study of Polymers Exhibiting Side-Chain Crystallization 197

ISSUE NO. 2, FEBRUARY

Y. AOKI and J. O. BRITTAIN: Thermally Stimulated Discharge Current Studies on the Effect of Thermal Treatment on the Strength of Polycarbonate 199

E. D. T. ATKINS, D. ISAAC, A. KELLER, and K. MIYASAKA: Analysis of Anomalous X-Ray Diffraction Effects of Isotactic Polystyrene Gels and its Implications for Chain Conformation and Isomeric Homogeneity 211

R. A. ASSINK: The Concentration and Pressure Dependence of the Diffusion of Dichlorodifluoromethane in Poly(dimethyl Siloxane) 227

V. FROSINI, G. LEVITA, J. LANDIS, and A. E. WOODWARD: Broad-Line NMR and Dynamic Mechanical Behavior of Some Aromatic Polyesters 239

H. W. STARKWEATHER, JR.: Melting and Internal Motion in Highly Alternating Copolymers of Ethylene and Carbon Monoxide 247

H. GUROL: The Coherent Scattering Law for Dilute Polymer Solutions: "Two-Component" Description 255

J. I. DUNBAR, A. M. NORTH, R. A. PETHRICK, and D. B. STEINHAUER: Acoustic Absorption and Dynamic Compressibility Studies of Dilute and Concentrated Solutions of Polystyrene in Toluene and Cyclohexane 263

J. I. DUNBAR and R. A. PETHRICK: Adiabatic Compressibility of Solutions of Ethylene–Propylene Copolymers in Hydrocarbon Solvents 279

E. A. BOUCHER and C.C. MOLLETT: Kinetics and Mechanism of the Quaternization of Poly(4-vinyl Pyridine) with 1-Bromopropane 283

C. COHEN: Thermodynamic Fluctuations and Light Scattering from Monodisperse Polymer Solutions 291

W. H. CHU and D. E. HORNE: Automated Light-Scattering Apparatus for Studying Polymer Films 303

P. C. HEMMER and J. J. GONZÁLEZ: Homopolymers: A Theoretical Study of Neighbor-Group Effects in Repeated Periodate Oxidation of Polysaccharides. I 321

R. A. DUCKETT, B. C. GOSWAMI, I. M. WARD, and A. M. ZIHLIF: Deformation Band Studies of Oriented Polyethylene and Polyethylene Terephthalate 333

C. J. LEE and B. WUNDERLICH: Crystallization During Polymerization of Diphenylsilylene by a Chemical Transport Reaction 355

J. E. MARK and C. U. YU: Some Elastic and Thermoelastic Properties of Two Organophosphazene Polymers 371

P. K. C. PILLAI, S. K. AGARWAL, and P. K. NAIR: Photoelectret State in Poly(vinylcarbazole) 379

NOTES

G. KRAUS and K. W. ROLLMANN: Viscoelastic Behavior of a Butadiene-Styrene Block Copolymer Containing Free Polybutadiene Molecules 385

ISSUE NO. 3, MARCH

R. G. C. ARRIDGE, P. J. BARHAM, and A. KELLER: Self-Hardening of Highly Oriented Polyethylene 389

J. S. VRENTAS and J. L. DUDA: Diffusion in Polymer–Solvent Systems. I. Reexamination of the Free-Volume Theory 403

J. S. VRENTAS and J. L. DUDA: Diffusion in Polymer–Solvent Systems. II. A Predictive Theory for the Dependence of Diffusion Coefficients on Temperature, Concentration, and Molecular Weight 417

J. S. VRENTAS and J. L. DUDA: Diffusion in Polymer–Solvent Systems. III. Construction of Deborah Number Diagrams 441

G. D. PATTERSON: Brillouin Scattering and Hypersonic Relaxation in Amorphous Polymers 455

D. A. MACINNES: Internal Viscosity in the Dynamics of Polymer Molecules 465

T. ODIJK: Polyelectrolytes near the Rod Limit 477

S. I. STUPP and S. H. CARR: Chemical Origin of Thermally Stimulated Discharge Currents in Polyacrylonitrile 485

T. HASHIMOTO, A. TODO, Y. MURAKAMI, and H. KAWAI: Light Scattering from Crystalline Superstructure in Tubular-Extruded Polybutene-1 Films 501

P. SMITH and A. J. PENNINGS: Eutectic Solidification of the Quasi Binary System of Isotactic Polypropylene and Pentaerythrityl Tetrabromide 523

J. GUILLET, G. SEYTRE, D. CHATAIN, C. LACABANNE, and J. C. MONPAGENS: TSC and Dielectric Study of Multiple Relaxations in Poly-L-Proline 541

K. D. GOEBEL and G. C. BERRY: Properties of Cellulose Acetate in Solution. II. Light Scattering and Elasticity Measurements on Gels in Benzyl Alcohol 555

NOTES

G. D. PATTERSON: Chain Length Dependence of Hypersonic Relaxation in Amorphous Polymers 579

M. G. BRERETON, G. R. DAVIES, A. RUSHWORTH, and J. SPENCE: Evidence for Correlated Motion in the Dielectric Properties of Poly(vinylidene Fluoride) 583

R. J. GAYMANS and S. HARKEMA: Melting Behavior of Aliphatic and Aromatic Diamides 587

Information for Contributors 591

ISSUE NO. 4, APRIL

Y. L. CHENG and D. C. BONNER: Solubility of Ethylene in Liquid, Low-Density Polyethylene at 69 Atmospheres 593

M. ITO, S. NAKATANI, A. GOKAN, and K. TANAKA: Dielectric Relaxations in Linear Aliphatic Polyesters 605

R. D. M. NEILSON, I. SOUTAR, and W. STEEDMAN: Aspects of Plastic Scintillators. II. Energy Transfer Studies in Polymerizing Media 617

G. M. HOLOB and P. EHRLICH: Electrical Conductivity of Crystallizable Polyphenylacetylene 627

A. J. LOVINGER, J. O. CHUA, and C. C. GRYTE: Studies on the α and β Forms of Isotactic Polypropylene by Crystallization in a Temperature Gradient 641

D. A. MACINNES: Internal Viscosity in the Dynamics of Polymer Molecules. II. A New Model for the Lamb–Matheson–Philippoff Increment 657

L. HOLLIDAY: On the Connectivity of Modified Glass Networks 675

B.-L. LEE and L. E. NIELSEN: Temperature Dependence of the Dynamic Mechanical Properties of Filled Polymers 683

K. ADACHI, M. HATTORI, and Y. ISHIDA: Effects of Diluent of Molecular Motion and Glass Transitions in Polymers. III. The System Poly(vinyl Acetate)–Toluene 693

D. BLOOR and G. C. STEVENS: Solid-State Thermal Polymerization of 2,4-Hexadiyne-1,6-Diol 703

U. LEUTE: On the Electrical Polarization of Polymer Single Crystals in Suspension 715

E. N. PETERS, J. H. KAWAKAMI, G. T. KWIATKOWSKI, E. HEDAYA, B. L. JOESTEN, D. W. MCNEIL, and D. A. OWENS: D_2-*m*-Carborane Siloxanes. V. Structure–Property Relationships 723

S. LUNDH: A New Approach to Analytical Density Gradient Equilibrium Centrifugation. Simultaneous Determination of Molecular Weight, Specific Volume, and Preferential Hydration of Human Transferrin 733

T. OKUDA, N. OHNO, K. NITTA, and S. SUGAI: Conformational Transition of the Copolymer of Maleic Acid and Styrene in Aqueous Solution. II 749

NOTES

V. VOŠICKÝ and M. BOHDANECKÝ: Calculations of the Sedimentation Coefficients of Polydisperse, Randomly Branched Polymers 757

O. KRAMER and J. D. FERRY: Entanglement Networks of 1,2-Polybutadiene Crosslinked in States of Equibiaxial Extension 761

Information for Contributors 765

ISSUE NO. 5, MAY

J. C. MONPAGENS, D. G. CHATAIN, C. LACABANNE, and P. G. GAUTIER: A New Method for the Study of Molecular Motion in Polymeric Solids: Thermally Stimulated Creep 767

O. YODA and I. KURIYAMA: Structural Changes on Hot-Rolling of Polyethylene. I. Crystallite Orientation and Lamellar Deformation 773

O. YODA and I. KURIYAMA: Structural Changes on Hot-Rolling of Polyethylene. II. Crystallite Size Distribution and Lattice Distortions 787

E. B. ATKINSON: The Solubility of Nitrogen in Polyethylene above the Crystalline Melting Point at High Pressure 795

M. PUTERMAN, F. J. KOLPAK, J. BLACKWELL, and J. B. LANDO: X-Ray Structure Determination of Isotactic Poly(2-Vinylpyridine) 805

R. KITAMARU, F. HORII, and S.-H. HYON: Proton Magnetic Resonance Studies of the Phase Structure of Bulk-Crystallized Linear Polyethylene 821

M. SUMITA, K. MIYASAKA, and K. ISHIKAWA: Effect of Drawing on the Melting Point and Heat of Fusion of Polyethylene 837

A. A. JONES and W. H. STOCKMAYER: Models for Spin Relaxation in Dilute Solutions of Randomly Coiled Polymers 847

A. A. JONES: Phenyl Group Rotation in Polystyrene and the Nature of Twofold Anisotropic Internal Rotation 863

J. VANDERSCHUEREN: General Properties of Secondary Relaxations in Polymers as Determined by the Thermally Stimulated Current Method 873

Y. IWASA and A. CHIBA: Dielectric Study on Copolymers in Dilute Solution. Relaxation Behavior of Methyl Methacrylate—Styrene and Methyl Methacrylate—α-Methylstyrene Copolymers 881

F. TANAKA and K. OKAMURA: Measurement of Pole Figures and Orientation Functions for *Valonia* Cellulose 897

V. M. PATEL and M. DOLE: Hydrogen Catalysis of Alkyl Radical Decay in Single Crystalline Polyethylene 907

NOTES

H. MITOMO, K. NAKAZATO, and I. KURIYAMA: Stepwise Lamellar Thickening of Nylon 66 Crystal by Annealing in Glycerol 915

Information for Contributors 921

ISSUE NO. 6, JUNE

W. V. CHANG, R. BLOCH, and N. W. TSCHOEGL: Study of the Viscoelastic Behavior of Uncrosslinked (Gum) Rubbers in Moderately Large Deformations 923

Y. TAKAI, T. OSAWA, T. MIZUTANI, and M. IEDA: Photoconduction in Poly(ethylene Terephthalate). I. Mechanisms of Carrier Generation 945

P. L. CORNES, K. SMITH, and R. N. HAWARD: Plastic Fracture 955

CH. A. SOLUNOV and CH. S. PONEVSKY: Thermostimulated Depolarization Currents in Thermorheologically Simple Materials 969

S. MORITA, M. SHEN, and M. IEDA: *In Vacuo* Photocurrent Measurements of Plasma Polymerized Styrene Films 981

S. RADHAKRISHNA and M. RAMA KRISHNA MURTHY: Thermoluminescence of Irradiated Poly(methyl Methacrylate) 987

D. C. BASSETT, B. A. KHALIFA, and R. H. OLLEY: Measurement of High Chain Extensions in Polyethylene by Gel Permeation Chromatography 995

R. H. OLLEY and D. C. BASSETT: Molecular Conformations in Polyethylene after Recrystallization or Annealing at High Pressures 1011

H. KYOTANI, H. KANETSUNA, and M. OYA: Conformational Transitions of Poly(β-benzyl L-Aspartate) 1029

P. R. COUCHMAN and F. E. KARASZ: Domain Size Dependence of Glass Transition Temperature 1037

C. BAKER, W. F. MADDAMS, and J. E. PREEDY: X-Ray Diffraction and Infrared Studies on Annealed Highly Syndiotactic Poly(vinyl Chloride) 1041

I. NARISAWA, M. ISHIKAWA, and H. OGAWA: The Fatigue Process in Highly Oriented Nylon 6 Fibers 1055

M. TODOKI and T. KAWAGUCHI: Origin of Double Melting Peaks in Drawn Nylon 6 Yarns 1067

A. TRAINOR, R. N. HAWARD, and J. N. HAY: The Effect of Density on the Properties of High Molecular Weight Polyethylenes 1077

J. C. WITTMANN and R. ST. JOHN MANLEY: Polymer–Monomer Binary Mixtures. I. Eutectic and Epitaxial Crystallization in Poly(ε-Caprolactone)–Trioxane Mixtures .. 1089

K. C. VALANIS and U. YILMAZER: A Probabilistic Theory on the Time to Fracture of Amorphous Crosslinked Polymers 1101

NOTES

E. A. BOUCHER: Kinetic Models for Scission and Depolymerization Reactions 1117

S. DE PETRIS, V. FROSINI, and E. A. NICOL: The Dielectric β Relaxation of Polybenzoxazole: The Role of Water Molecules 1121

Information for Contributors 1127

ISSUE NO. 7, JULY

I. NODA, T. KITANO, and M. NAGASAWA: The Effect of Molecular Weight Heterogeneity on the Second Virial Coefficient of Linear Polymers in Good Solvents 1129

D. S. HUBBELL and S. L. COOPER: Segmental Orientation in Blends of Poly(ε-Caprolactone) with Poly(vinyl Chloride) and Nitrocellulose 1143

S. G. CHU and P. MUNK: A Study of Thermodynamic Behavior of Polystyrene Solutions in Benzene at Moderate Concentrations by Sedimentation Equilibrium 1163

P. J. BARHAM and R. G. C. ARRIDGE: A Fiber Composite Model of Highly Oriented Polyethylene 1177

L. MANDELKERN, S. GO, D. PEIFFER, and R. S. STEIN: Light Scattering Studies of Mixtures and Fractions of Linear Polyethylene 1189

R. E. BARKER, JR., R. Y. S. CHEN, and R. S. FROST: Influence of Pressure and Chemical Structure on the Thermal Conductivity of Vitreous Poly(alkyl Methacrylates). I. 1199

C. BOISSERIE and R. H. MARCHESSAULT: Light Scattering from Epoxy-Elastomer Resins: A Study of Statistical Methods in Heterogeneity Analysis 1211

P. C. PAINTER, J. HAVENS, W. W. HART, and J. L. KOENIG: A Fourier Transform Infrared Spectroscopic Investigation of Polyethylene Single Crystals. I. Methylene Wagging Mode 1223

P. C. PAINTER, J. HAVENS, W. W. HART, and J. L. KOENIG: A Fourier Transform Infrared Spectroscopic Investigation of Polyethylene Single Crystals. II. Fine Structure of the CH_2 Rocking Mode 1237

E. BENEDETTI and E. CHIELLINI: Conformational Study of Isotactic Poly[(S)-5-Methyl-1-Heptene] and Poly[(S)-2-Methylbutyl Vinyl Ether] by IR Spectroscopy 1251

S. RADHAKRISHNA and M. RAMA KRISHNA MURTHY: Thermoluminescence of Irradiated Polystyrene 1261

A. GALESKI, P. MILCZAREK, and M. KRYSZEWSKI: Heat Conduction in a Two-Dimensional Spherulite 1267

R. LEGRAS and J. P. MERCIER: Crystallization of Bisphenol-A Polycarbonate. II. Melting Behavior and Equilibrium Melting Temperature of the Plasticized Polymer 1283

P. D. GRISWOLD and J. A. CUCULO: Flow-Induced Crystallization of Poly(ethylene Terephthalate) Melts in a Capillary Die. Formation and Properties of the Crystalline Toroid 1291

NOTES

N. CHOJI and M. KARASAWA: Diffusion Coefficients from Initial Sorption Data 1309

T. ISHIKAWA and S. NAGAI: Formation of α-Nylon 12 by Solution Casting 1315

ISSUE NO. 8, AUGUST

M. C. LANG, C. NOËL, and A. P. LEGRAND: Solid-State Relaxations in Poly(ethylene Oxide). I. Study Using the Differential Scanning Calorimetry Methods 1319

M. C. LANG, C. NOËL, and A. P. LEGRAND: Solid-State Relaxations in Poly(ethylene Oxide). II. Study Using the Spin-Labeling Technique 1329

P. W. THORNLEY and I. W. SHEPHERD: Polarized Raman Scattering of Concentrated Solutions of Poly(dimethyl Siloxane) in Benzene 1339

K. MATSUO, K. F. KUHLMANN, H. W.-H. YANG, F. GÊNY, W. H. STOCKMAYER, and A. A. JONES: Fluorine Magnetic Relaxation in Poly(*p*-Fluorostyrene) and Poly(*m*-Fluorostyrene) 1347

K. INOUE and S. HOSHINO: Effect of Molecular Orientation on the Swelling of Nylon 6 . 1363

J. L. KOENIG and M. K. ANTOON: Thermally Induced Conformational Changes in Poly(vinyl Chloride) 1379

E. RIANDE: Configurational Properties of Aromatic Polyesters: Dipole Moments of Poly(diethylene Terephthalate) Chains 1397

R. A. WEISS, R. W. LENZ, and W. J. MACKNIGHT: Properties of Polyethylene Modified with Phosphonate Side Groups. I. Thermal and Mechanical Properties 1409

N. J. CAPIATI and R. S. PORTER: Dimensional Changes in Ultradrawn Polyethylene ... 1427

A. PERICO and C. CUNIBERTI: Dynamics of Chain Molecules. Intramolecular Diffusion Controlled Reactions for a Pair of Terminal Reactive Groups 1435

J. C. RANDALL: Monomer Distributions and Number-Average Sequence Lengths in Hydrogenated Butadiene–Styrene Copolymers from Carbon-13 Nuclear Magnetic Resonance 1451

N. OVERBERGH, M. GIROLAMO, and A. KELLER: Solution Grown Isotactic Polystyrene Crystals. I. Degree and Distribution of Crystallinity; Thermal Stability 1475

N. OVERBERGH, D. M. SADLER, and A. KELLER: Solution Grown Isotactic Polystyrene Crystals. II. Kinetics of Thermal Changes by X-Ray Diffraction 1485

NOTES

I. T. MONEVA: Concerning the Birefringence Effect on Polarized Light Scattering from Polymer Films Obtained from the Melt. Phase Limitation 1501

ISSUE NO. 9, SEPTEMBER

M. TODOKI and T. KAWAGUCHI: Melting of Constrained Drawn Nylon 6 Yarns 1507

J. PODEŠVA, M. BOHDANECKÝ, P. KRATOCHVÍL, and G. SAMAY: Unperturbed Dimensions of Random and Alternating Styrene/*n*-Alkyl Methacrylate Copolymers 1521

G. PALMA, G. TALAMINI, M. TAVAN, and M. CARENZA: Particle Morphology in the Early Stages of Radiation-Induced Heterophase Polymerization of Vinyl Chloride 1537

T. KAJIYAMA, T. YOSHINAGA, and M. TAKAYANAGI: The Effect of Thermal Stress on the Thermal Expansion Coefficient and Glass Transition Temperature of Glass Fiber–Polymer Composites 1557

M. TIRRELL and M. F. MALONE: Stress-Induced Diffusion of Macromolecules 1569

E. R. PICO and M. C. WILLIAMS: Thermodynamics of Plasticized Triblock Copolymers. I. Theory 1585

M. KITAGAWA: Power Law Relationship between Yield Stress and Shear Modulus for Glassy Polymers 1601

D. LÉVESQUE and R. E. PRUD'HOMME: Small-Angle Light Scattering from Thin Polymer Films: Multiple Scattering from Samples with Rodlike Morphology 1613

R. E. PRUD'HOMME: Crystallization of Polydioxolan. II. Morphology and Melting Properties 1619

C. H. GRIFFITHS, K. OKUMURA, and A. VAN LAEKEN: Influence of Chemical Modification (Bromination) on Structure and Charge Transport in Poly(*N*-Vinylcarbazole) 1629

R. ULLMAN, G. C. SUMMERFIELD, and J. S. KING: Investigation of Heterogeneities in Solid Polyethylene by Small Angle Neutron Scattering 1641

P. C. PAINTER, J. RUNT, M. M. COLEMAN, and I. R. HARRISON: Fourier-Transform Infrared Study of Polyethylene Single Crystals in Suspension 1647

M. DOSIÈRE and J. J. POINT: Oriented Crystallization of Biphenyl in Low-Density Polyethylene with a Single Texture 1655

T. MATSUMOTO and D. C. BOGUE: Stress Birefringence in Amorphous Polymers under Nonisothermal Conditions 1663

J. MAGOSHI, Y. MOGOSHI, S. NAKAMURA, N. KASAI, and M. KAKUDO: Physical Properties and Structure of Silk. V. Thermal Behavior of Silk Fibroin in the Random-Coil Conformation 1675

J. M. CRISSMAN and L. J. ZAPAS: Mechanical Behavior of a Highly Oriented Polyethylene Rod 1685

Information for Contributors 1695

ISSUE NO. 10, OCTOBER

H. ARAI, N. HAYAKAWA, N. TAMURA, and I. KURIYAMA: Texture and Molecular Chain Mobility in Cold-Deformed Linear Polyethylene 1697

A. MOUDDEN, A. M. LEVELUT, and M. PINERI: Étude par Rayons X de Copolymères Téléchéliques Butadiène Acide Méthacrylique 1707

V. N. KOZYRENKO, I. V. KUMPANENKO, and I. D. MIKHAILOV: Green's Function Analysis of the Vibrational Spectra of Polymer Chains. I. Several Approaches to the Problem 1721

V. N. KOZYRENKO, I. V. KUMPANENKO, and I. D. MIKHAILOV: Green's Function Analysis of the Vibrational Spectra of Polymer Chains. II. Fourier Method for Calculating the Green's Function of a Perfect Infinite Polymer Chain 1739

A. Z. AKCASU and J. S. HIGGINS: Quasielastic Scattering of Neutrons from Freely Jointed Polymer Chains in Dilute Solutions 1745

H. BERGHMANS and N. OVERBERGH: Crystallization and Melting of the System Isotactic Polystyrene + Poly(2,6-dimethyl Phenylene Oxide) 1757

S. L. HSU, G. W. FORD, and S. KRIMM: Longitudinal Acoustic Mode in Polymers. II. Solution of the General Composite Perturbed Elastic Rod 1769

H. DRAGAUN, H. HUBENY, and H. MUSCHIK: Shear-Induced β-Form Crystallization in Isotactic Polypropylene 1779

M. ISHIKAWA, I. NARISAWA, and H. OGAWA: Criterion for Craze Nucleation in Polycarbonate 1791

R. L. MCCULLOUGH: Deformation Mechanisms of Constrained Polymer Chains. I. Geometrically Induced Correlations in the Deformation Response Mechanisms of Tie Molecules 1805

R. L. McCULLOUGH, A. J. EISENSTEIN, and D. F. WEIKART: Deformation Mechanisms of Constrained Polymer Chains. II. Deformation Energetics of Tie Molecules 1837

NOTES

C. R. DESPER, A. G. KOLVECK, and D. R. UHLMANN: Pole-Figure Analysis of Solid-State Extruded Polyethylene 1863

Information to Contributors 1867

ISSUE NO. 11, NOVEMBER

S. D. HONG, D. R. HANSEN, M. C. WILLIAMS, and M. SHEN: Viscoelastic Properties of Entangled Polymers. II. The Interchain–Intrachain Entanglement Model 1869

P. C. PAINTER and J. L. KOENIG: A Normal Vibrational Analysis of Isotactic Polystyrene 1885

G. CZORNYJ and B. WUNDERLICH: Preparation and Study of Separated Single Crystals of Extended-Chain Polyethylene 1905

S. T. WELLINGHOFF, J. L. KOENIG, and E. BAER: Spectroscopic Examination of Chain Conformation and Bonding in Poly(phenylene Oxide)–Polystyrene Blends 1913

K. T. CHIANG and M. V. SEFTON: Structure of Styrene–Butadiene–Styrene Block Copolymers by Diffusion Analysis 1927

N. CORBIN and J. PRUD'HOMME: Multiblock Copolymers of Styrene and Isoprene. II. Microstructure and Dilute Solution Properties 1937

W. D. COOK and O. DELATYCKI: Low-Temperature Relaxations in Styrene-Crosslinked Polyester Networks. II. The γ' Relaxation 1953

W. D. COOK and O. DELATYCKI: Low-Temperature Relaxations in Styrene-Crosslinked Polyester Networks. III. Influence of Water Concentration and Chemical Structure on the γ Relaxation 1967

F. SZÖCS and M. KLIMOVÁ: ESR Study of Pressure and Temperature Dependence of Free-Radical Decay in Poly(vinyl Chloride) 1983

P. MORETTI and G. MESNARD: Electron Microscopic Study of Dendritic Growths on the Anode During Prebreakdown Conditions in an Organic Residual Gas 1989

M. SHIMA, E. OGAWA, S. BAN, and M. SATO: Conformational Behavior of Styrene–*p*-Chlorostyrene Triblock Copolymers in Dilute Solutions. I. Composition Dependence of Conformational Behavior. 1999

A. GARTON, D. J. CARLSSON, P. Z. STURGEON, and D. M. WILES: Plastic Deformation of Highly Drawn Polypropylene Monofilaments 2013

NOTES

D. R. RUEDA, F. J. BALTA-CALLEJA, and A. HIDALGO: Correlation of Crystal Thickness and Absorption Coefficient of the Doublet at 720–730 cm^{-1} in Polyethylene 2027

S. KRAUSE and A. M. BISWAS: Microphase Separation in Mixtures of Styrene–α-Methyl Styrene Block Copolymers with Polystyrene or with Poly(α-methyl Styrene) 2033

C. A. BERGLUND: Birefringence and Stress Relaxation in Styrene–Butadiene Copolymer 2037

J. S. VRENTAS, J. L. DUDA, and Y. C. NI: Analysis of Step-Change Sorption Experiments 2039

D. H. FREEMAN and D. KILLION: Gel Partition/Permeation Chromatography Using *n*-Alkane Solutes 2047

A. E. TONELLI: Melting of Aliphatic Nylons 2051

S. M. AHARONI, P. A. APGAR, and J. H. DUNSMUIR: Phenoxy Crystal Structure 2055

ISSUE NO. 12, DECEMBER

J. KLEIN: Diffusion of Long Molecules through Solid Polyethylene. I. Topological Constraints 2057

J. KLEIN and B. J. BRISCOE: Diffusion of Long Molecules through Solid Polyethylene. II. Measurements and Results 2065

V. A. GRIGOROVSKAYA, V. E. BASIN, D. K. KHAKIMOVA, L. S. LYUBCHENKO, E. S. CHEREPANOVA, and A. A. BERLIN: On the Interrelation between Microstructure and Physicochemical Properties of some Polyconjugate Systems 2075

K. NAKAMURA, R. ENDO, and M. TAKEDA: Interaction between Styrene–Ethylene Oxide Block Copolymers and Sodium Lauryl Sulfate in Aqueous Solution 2087

K. NAKAMURA, R. ENDO, and M. TAKEDA: Study of Molecular Motion of Block Copolymers in Solution by High-Resolution Proton Magnetic Resonance 2095

J-F. JANSSON and I. V. YANNAS: Infrared Dichroism of Glassy Polycarbonate at Small Strains 2103

F. P. WARNER, W. J. MACKNIGHT, and R. S. STEIN: A Small-Angle X-Ray Scattering Study of Blends of Isotactic and Atactic Polystyrene 2113

F. LAUPRÊTRE, C. NOËL, and L. MONNERIE: Dynamics of Macromolecular Chains. VI. Carbon 13 and Proton Nuclear Magnetic Relaxation of Polystyrene in Solution 2127

F. LAUPRÊTRE, C. NOËL, and L. MONNERIE: Dynamics of Macromolecular Chains. VII. Nuclear Magnetic Relaxation of Monosubstituted Polystyrenes in Solution 2143

V. M. NADKARNI and J. M. SCHULTZ: Extensional Flow-Induced Crystallization in Polyethylene Melt Spinning 2151

J. GLUCKLICH and R. F. LANDEL: Strain Energy Function of Styrene Butadiene Rubber and the Effect of Temperature 2185

M. G. DOBB, D. J. JOHNSON, and B. P. SAVILLE: Supramolecular Structure of a High-Modulus Polyaromatic Fiber (Kevlar 49) 2201

H. RUTHERFORD and I. SOUTAR: Phosphorescence Studies of Relaxation Effects in Bulk Polymers. I. Depolarization Measurements of Segmental Relaxation in Poly(methyl Acrylate) 2213

I. NARISAWA, M. ISHIKAWA, and H. OGAWA: Yielding of a Notched Poly(vinyl Chloride) Sheet 2227

V. FROSINI, P. L. MAGAGNINI, and B. A. NEWMAN: The Crystalline Character of Atactic Poly(*p*-Biphenyl acrylate) and Poly(*p*-Cyclohexylphenyl acrylate) in their Dynamic Mechanical Response 2239

H. FUJITA, N. TAKI, T. NORISUYE, and H. SOTOBAYASHI: First-Order Excluded-Volume Effect on the Instrinsic Viscosity of Nondraining Polymer Coils 2255

NOTES

M. C. TOBIN: Theory of Phase Transition Kinetics with Growth Site Impingement. III. Mixed Heterogeneous–Homogeneous Nucleation and Nonintegral Exponents of the Time 2269

P. C. JAIN, B. WUNDERLICH, and D. R. CHAUBEY: Effect of Pressure on the Melting of Poly(4-methyl-1-pentene) 2271

J. C. WITTMANN and R. ST. J. MANLEY: Polymer–Monomer Binary Mixtures. Eutectic Crystallization of Poly(ethylene Oxide)–Trioxane Mixtures 2277

Author Index 2281

Subject Index 2290

Volume Title Page i

Volume Contents iii